

MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Manufacturer's Name: FLEXcon Europe Ltd.
Address: Flevolaan 3
City, State, and Zip: 1382 JX, Weesp, Netherlands
Emergency Telephone Number: +31-294491800
Other Information Calls: +44-1592663200
Date Prepared: 22-04-2008

PRODUCT NAME:

- 1) THERMLfilm PM 200 TC 390 V778 40#Glassine-8 (White, Satin Silver and Clear)
- 2) THERMLfilm AGV 300 F TC348 V1576 S50K7 (Colonial White, Sun Yellow, Sunset Orange, Emerald Green en Crown Red)
- 3) THERMLfilm V 320 F CLEAR MATTE T/C-712 V-344 40#Glassine-8
- 4) THERMLfilm PP-320-HCM TC-292 V-20 50LF

2. COMPOSITION/INFORMATION ON INGREDIENTS

Individual components of this product do not contribute to any known hazards

CAS REGISTRY #
N/A

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200): NONE

3. HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS: None

ACUTE: No significant toxic hazard. When burned may produce toxic fumes.

CHRONIC: No significant toxic hazard.

None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, OSHA, or ACGIH as a carcinogen.

4. FIRST AID MEASURES

Emergency and First Aid Procedures:

ROUTES OF ENTRY-

1. Inhalation: N/A
2. Eyes: N/A
3. Skin: N/A
4. Ingestion: N/A

5. FIRE FIGHTING MEASURES

Flash Point: N/A

Method Used: N/A

Auto-Ignition Temperature: N/A

Flammable Limits in Air % by Volume:

LEL: N/A

UEL: N/A

Extinguishing Media: Use multi-rated ABC extinguisher or water

Special Fire Fighting Procedures: In case of fire, use self-contained breathing apparatus and full protective equipment - all fires liberate toxic gases.

Unusual Fire and Explosion Hazards: None

6. ACCIDENTAL RELEASE MEASURES

N/A

7. HANDLING AND STORAGE

No special handling required, other than storing away from excessive heat sources.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory Protection: None required
Skin Protection: No precautions required
Eye Protection: None required
Exposure Guidelines: None established
Engineering Controls: None required

9. PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point:	N/A	Specific Gravity (H 0 = 1):	N/A
Vapor Pressure (mm Hg):	N/A	Vapor Density (air = 1):	N/A
Solubility in water:	N/A	Reactivity of water:	N/A
Appearance and Odor:	N/A	Melting Point:	N/A

10. STABILITY AND REACTIVITY

STABILITY: N/A
CONDITIONS TO AVOID: Fire or excessive heat
INCOMPATIBILITY: None
HAZARDOUS DECOMPOSITION PRODUCTS: None
HAZARDOUS POLYMERIZATION: Will not occur.

11. TOXICOLOGICAL INFORMATION

Carcinogen Status ... NTP: NONE ... IARC: NONE ... OSHA: NONE

12. ECOLOGICAL INFORMATION

No data available

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: Dispose of in accordance with local, State and Federal regulations.

14. TRANSPORT INFORMATION

TRANSPORTATION AND HAZARDOUS MATERIALS DESCRIPTION: Not a hazardous material for DOT shipping.

15. REGULATORY INFORMATION

OSHA STANDARD CFR 29, PART 1910.1200: This product is considered to be an "article" under this standard.

SARA 313 INFORMATION: This product contains no substances at or above the reporting threshold subject to the reporting requirement of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 371, based on available data.

CALIFORNIA PROPOSITION 65: The following statement is made in order to comply with the California Safe Drinking Water and Toxic Enforcement Act of 1986. The product does not, to the best of our knowledge and belief, contain any of the chemicals on the current list of chemicals known to the State of California to cause cancer.

16. OTHER INFORMATION

The information contained herein is based on the data available to FLEXcon COMPANY, INC. and is believed to be correct. However, the FLEXcon COMPANY, INC. makes no warranty, expressed or implied, regarding the accuracy of these data or the results to be obtained from the use thereof. FLEXcon COMPANY, INC. assumes no responsibility for injury from the use of the product described herein.