

Philips Fast IPS Gaming monitor Full HD gaming monitor

Evnia 3000 27" (68.5 cm)

1920 × 1080 (Full HD)

27M2N3201A

Broaden your gaming horizon

This monitor can play up to a speed of 180 Hz for any game. It also has a plethora of other features that make it the ideal gaming companion, such as Full HD resolution, HDR-quality imagery and Smart Crosshair.

Features designed for you

- · SmartImage game mode optimised for gamers
- Smart Crosshair: for better aim and more fun
- EasySelect menu toggle key for quick on-screen menu access
- · Built-in stereo speakers for multimedia
- LowBlue mode and Flicker-free easy-on-the eyes viewing
- SmartErgoBase enables user-friendly ergonomic adjustments

Built for fast action

- 180 Hz refresh rates for ultra-smooth, brilliant images
- 0.5 ms ultra-fast speed for crisp images and smooth gameplay
- · Fast IPS Panel: For rapid and crystal-clear gaming
- · Low input lag reduces time delay between devices to monitor

Immersive visuals

- 16:9 Full HD display for crisp, detailed images
- High Dynamic Range (HDR) for more lifelike colourful visuals




Highlights

180 Hz Gaming



You play intense, competitive gaming. You demand display with lag-free, ultra-smooth images. This display redraws the screen image up to 180 times per second, effectively faster than a standard display. A lower frame rate can make enemies appear to jump from spot to spot on the screen, making them difficult targets to hit. With a 180 Hz frame rate, you get those critical missing images on the screen which show enemy movement in ultra-smooth motion so you can easily target enemies. With ultra-low input lag and no screen tearing, this Philips display is your perfect gaming partner.

Low input lag



Input lag is the amount of time that elapses between performing an action with connected devices and seeing the result on screen. Low input lag reduces the time delay between entering a command from your devices to monitor, greatly improving play on twitch-sensitive video games, particularly important for playing fast-paced, competitive games.

0.5 ms Smart MBR fast response



The Philips Evnia with 0.5 ms Smart MBR effectively eliminates smearing and motion blur, and delivers sharper and more precise visuals to enhance your gaming experience. Fast-moving action and dramatic transitions will be rendered smoothly. It's the best choice for playing thrilling and twitch-sensitive games.

Fast IPS



This feature is made for action-packed gameplay. Not only does it produce virtually blur-free gaming, but it also pairs well with high frame rates for the best and sharpest imagery, guaranteed.

16:9 Full HD display



Picture quality matters. Regular displays deliver quality, but you expect more. This display

features enhanced Full HD 1920 \times 1080 resolution. With Full HD for crisp detail paired with high brightness, incredible contrast and realistic colours, expect a true-to-life picture.

High Dynamic Range (HDR)



High Dynamic Range delivers a dramatically different visual experience. With astonishing brightness, incomparable contrast and captivating colour, images come to life with much greater brightness while also featuring much deeper, more nuanced darks. It renders a fuller palette of rich new colours never before seen on a display, giving you a visual experience that engages your senses and inspires emotions.

SmartContrast



SmartContrast is a Philips technology that analyses the contents you are displaying, automatically adjusting colours and controlling backlight intensity to dynamically enhance contrast for the best digital images and videos or when playing games where dark hues are displayed. When Economy mode is selected, contrast is adjusted and backlighting fine-tuned for just-right display of everyday office applications and lower power consumption.



















Specifications

Picture/Display

- · Panel Size: 27 inch/68.6 cm
- Aspect ratio: 16:9
- · LCD panel type: IPS technology
- Backlight type: W-LED system
- Pixel pitch: 0.31125 x 0.31125 mm
- Brightness: 300 cd/m²
- Display colours: 16.7 M
- Colour gamut (typical): Adobe RGB 90%, DCI-P3:95%, sRGB: 128%, NTSC 110%*
- Contrast ratio (typical): 1000:1
- SmartContrast: Mega Infinity DCR
- Response time (typical): 1 ms (Grey to Grey)*
- Viewing angle: 178° (H)/178° (V), @ C/R > 10
- Picture enhancement: SmartImage game
- Maximum resolution: 1920 x 1080 @ 180 Hz (HDMI/DP)
- Effective viewing area: 597.6 (H) x 336.15 (V) mm
- Scanning Frequency: 30k 200 kHz (H)/48 -180 Hz (V)
- sRGB
- · Flicker-free
- Pixel Density: 81.59 PPI
- · LowBlue Mode
- Display Screen Coating: Anti-Glare, 3H, Haze 25%
- EasyRead
- · Adaptive sync
- HDR: HDR 10 supported
- · Smart Crosshair
- Shadow Boost
- Smart MBR: 0.5 ms*

Connectivity

- Signal Input: HDMI 2.0 x 2, DisplayPort 1.4 x 1
- Sync Input: Separate Sync
- · Audio (In/Out): Audio out
- HDCP: HDCP 1.4 (HDMI/DP), HDCP 2.2 (HDMI/

Convenience

- Built-in Speakers: 2 W x 2
- · Plug and Play Compatibility: DDC/CI, Mac OS X, sRGB, Windows 11/10
- User convenience: Power On/Off, Menu/OK, Input/Up, Game Settings/Down, SmartImage game/
- OSD Languages: Brazil Portuguese, Czech, Dutch, English, Finnish, French, German, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Spanish, Simplified Chinese, Swedish, Turkish, Traditional Chinese, Ukrainian
- Other convenience: Kensington lock, VESA mount $(100 \times 100 \text{ mm})$

Stand

- Height adjustment: 130 mm
- Pivot: -/+ 90 degree
- Swivel: -/+ 30 degree
- Tilt: -5/20 degree

Power

- Power supply: Internal, 100-240 VAC, 50-60 Hz
- Off mode: 0.3 W (typ.)
- On mode: 27.4 W (typ.)
- Standby mode: 0.5 W (typ.)
- · Power LED indicator: Operation White, Standby mode - White (flashing)

Dimensions

- Packaging in mm (W \times H \times D): 730 x 478 x 188 mm
- Product without stand (mm): $614 \times 368 \times 60$ mm
- · Product with stand (max height): 614 x 519 x 261 mm

Weight

- · Product with packaging (kg): 9.15 kg
- Product with stand (kg): 5.82 kg
- Product without stand (kg): 4.00 kg

Operating conditions

- Altitude: Operation: +12,000 ft (3658 m), Nonoperation: +40,000 ft (12,192 m)
- Temperature range (operation): 0°C to 40 °C
- MTBF: 50 000 (Excluded backlight) hour(s)
- Relative humidity: 20%-80 %
- Temperature range (storage): -20°C to 60 °C

Sustainability

- Environmental and energy: RoHS
- Recyclable packaging material: 100 %
- Post-consumer recycled plastics: 35%*

Compliance and standards

 Regulatory Approvals: CB, CE Mark, TUV/ ISO9241-307, TUV-BAUART, EAC, EAEU RoHS, UKCA, EMF, FCC, ICES-003

Cabinet

- Colour: White
- · Finish: Textured

What's in the box?

- Cables: HDMI cable, DisplayPort cable, Power cable
- · Monitor with stand
- User Documentation

- * "IPS" word mark / trademark and related patents on technologies belong to their respective owners.

 The maximum resolution works for either HDMI input or DP input.
- * For best output performance, please always ensure that your graphic card is capable of achieving the maximum resolution and refresh rate of this Philips display.
- Response time value equal to SmartResponse
- * Smart MBR adjusts brightness for blur reduction, so you cannot adjust brightness while Smart MBR is turned on. To reduce motion blur, the LED backlight will strobe synchronously with each screen refresh, which may cause a noticeable change in brightness.
- S Smart MBR is a gaming-optimised mode. Turning on Smart MBR may cause a noticeable commended turning it off when you are not using the gaming function.

 Adobe RGB and DCI-P3 Coverage based on CIE1976, sRGB Area
- based on CIE1931, NTSC Area based on CIE1976.
 This monitor strives for sustainability: the base cover and headphone holder are made with 35% recycled plastic.
- * The products and accessories listed on this leaflet may differ by country and region.

 * The monitor may look different from feature images.
- www.philips.com

Specifications are subject to change without notice.

Trademarks are the property of Koninklijke Philips N.V.

© 2024 Koninklijke Philips N.V.

or their respective owners.

All Rights reserved.



Issue date 2024-11-08

Version: 7.7.1

EAN: 87 21038 00169 3