

OPTIMAL PRINT AND SCAN PRODUCTIVITY FROM A COLOUR MULTI-FUNCTION PRINTER WITH DIRECT CLOUD CONNECTIVITY



i-SENSYS MF750 Series

Designed for small businesses or individuals, the Canon i-SENSYS MF750 Series delivers optimised productivity for printing and scanning.

Ultimate productivity

Work faster by printing and scanning at speeds of up to 33ppm and 100ipm* (A4), as well as utilising a wide range of media handling with the ability to scan small documents such as cheques and receipts

Built-in cloud connectivity

Centralise print management with support for Universal Print by Microsoft and access documents directly from cloud storage services: Google Drive, DropBox and OneDrive

*MF754Cdw only



ULTIMATE
PRODUCTIVITY



INTUITIVE USER
EXPERIENCE



BUILT-IN CLOUD
CONNECTIVITY



RELIABLE SECURITY

Intuitive user experience

Streamline workflows with drag and drop icons to customise the display and create one-touch shortcut buttons with Application Library apps

Reliable security

Advanced system verification protects the device from hacking and virus threats as soon as you start up, while Secure PIN restricts access to sensitive documents

Canon

RANGE FEATURE STEP UP CHART



i-SENSYS MF752Cdw



i-SENSYS MF754Cdw

| | | |
|-----------------------------|----------------------------|----------------------------|
| Fax | | ● |
| A4 print speed | 33ppm | 33ppm |
| Display | 12.7cm colour touch screen | 12.7cm colour touch screen |
| Secure PIN print | ● | ● |
| Automatic duplex printing | ● | ● |
| Built-in cloud connectivity | ● | ● |
| Application Library | ● | ● |
| Single pass duplex scan | ● | ● |

OPTIONAL ACCESSORIES

PAPER FEEDER PF-K1

- Additional 550 sheet paper cassette, 1 unit can be added to main unit.

Telephone 6 Kit (for MF754Cdw)

- Optional telephone handset for fax function.

TECHNICAL SPECIFICATIONS

i-SENSYS MF750 Series

| | |
|--------------------------------------|--|
| Machine type | Colour Laser All-in-One |
| Available functions | MF754Cdw: Print, Copy, Scan and Fax MF752Cdw: Print, Copy and Scan |
| PRINTER | |
| Print speed | Single sided : Up to 33 ppm (A4) Up to 60 ppm(A5-Landscape) Double sided : Up to 29.5 ipm (A4) |
| Printing method | Colour laser beam printing |
| Print resolution | Up to 1200 x 1200 dpi |
| Warm-up time | Approx. 14 seconds or less from power on |
| First Print Out Time | Colour approx.: 7.1 seconds or less Mono approx.: 7.1 seconds or less |
| Printer languages | MF754Cdw: UFR II, PCL 5c ² , PCL6, Adobe® PostScript3 MF752Cdw: UFR II, PCL 5c ² , PCL6 |
| Fonts | MF754Cdw: 45 PCL fonts 136 PostScript fonts MF752Cdw: 45 PCL fonts |
| Print margins | 5 mm-top, bottom, left and right 10 mm-top, bottom, left and right (Envelope) |
| Toner saver mode | Yes |
| Advanced printing features | Encrypted Secure Print Secure Print Print from USB memory key (JPEG/TIFF/PDF) Print from Cloud (Dropbox, GoogleDrive, OneDrive) (PDF/JPEG) Microsoft Universal Print support IOS: AirPrint, Canon PRINT Business app Android: Mopria certified, Canon Print Service Plug-in, Canon PRINT Business app |
| COPIER | |
| Copy speed | Single sided (A4): Up to 33 ppm Double sided (A4): Up to 29 ipm |
| First Copy Output Time (FCOT) | ADF (A4): Colour Approx. 8.8 seconds or less Mono Approx. 7.6 seconds or less Platen (A4): Colour Approx. 9.4 seconds or less Mono Approx. 8.3 seconds or less |
| Copy resolution | Up to 600 x 600 dpi |
| Copy modes | Text/Photo/Map (Default),Text/Photo/Map (quality), Printed Image, Text |
| Double sided copying | 2-sided to 2-sided (Automatic) |
| Multiple copy | Up to 999 copies |
| Reduction / Enlargement | 25-400% in 1% increments |
| Other features | Frame Erase, Collate, 2 on 1, 4 on 1, ID card copy, Reserved copy |
| SCANNER | |
| Type | Colour |
| Scan resolution | Optical: Up to 600 x 600 dpi Enhanced: Up to 9600 x 9600 dpi |
| Scan speed | Single sided mono: 50ipm (300x300dpi) Single sided colour: 40ipm (300x300dpi) Double sided mono: 100ipm (300x300dpi) Double sided colour: 80ipm (300x300dpi) Single sided mono: 40ipm (300x600dpi) Single sided colour: 20ipm (300x600dpi) Double sided mono: 80ipm (300x600dpi) Double sided colour: 40ipm (300x600dpi) |
| Colour scanning depth | 24 bit/24 bit (input/output) |
| Greyscale | 256 levels |
| Compatibility | TWAIN ¹ , WIA, ICA |
| Max. scan width | 216mm |
| Scan to E-mail | TIFF/JPEG/PDF/Compact PDF/Searchable PDF |
| Scan to PC | |
| Scan to USB memory key | |
| Scan to FTP | |
| Scan to Cloud¹ | TIFF/JPEG/PDF/PNG ² |
| IFAX | ITU-T.37 |
| FAX | |
| Modem speed | 33.6 Kbps (Up to 3 seconds/page ³) |
| Receive mode | Fax only, Fax/Tel Auto Switch, Answer Mode, Manual |
| Fax resolution | Standard: 200 x 100 dpi Fine: 200 x 200 dpi Super fine: 200 x 400 dpi Ultra fine: 400 x 400 dpi |
| FAX memory | Up to 512 pages ⁴ |
| Speed dials | Up to 281 dials |
| Group dials/destinations | Max. 299 dials / Max. 299 destinations |
| Sequential broadcast | Max. 310 destinations |
| Memory backup | Permanent fax memory backup (Backup with flash memory) |
| Double sided faxing | Yes (Transmit and Receive) |
| Other features | Sender's Name (TTI), Direct Send, Review, TX Report, Sequential Broadcasting |
| MEDIA HANDLING | |
| Scanner type | Platen, 2-sided ADF (single pass) |
| Paper input (Standard) | 250-sheet cassette 50-sheet multi-purpose tray 50-sheet ADF |
| Paper input (Option) | 550-sheet cassette |
| Maximum paper input capacity | 850-sheet cassette |
| Paper output | 150-sheet |
| Media types | Plain paper, Recycled paper, Heavy Paper, Thin paper, Colour paper, Coated paper, Pre-punched, Label, Post card, Envelope |
| Media sizes | Cassette (Standard): A4, A5, A5 (Landscape), A6, B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Envelop (COM10, DL, C5, Monarch), Custom sizes: Min. 98 x 148 mm Max. 216.0 x 356.0 mm. Multi-purpose tray: A4, A5, A5 (Landscape), A6, B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Indexcard, Envelope (COM10, DL, C5, Monarch), Custom sizes: Min 76.0 x 127 mm Max. 216.0 x 356.0 mm. Cassette (Optional): A4, A5, A5 (Landscape), A6, B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Custom sizes: Min. 100 x 148 mm Max. 216.0 x 356.0 mm. ADF: A4, A5, A6, B5, Legal, Letter, Statement, Custom sizes: Min. 48 x 85.0 mm Max 216.0 x 355.6 mm |

| | |
|--|---|
| Media weights | Cassette (standard and optional): 60 to 163 g/m ² (Up to 200 g/m ² with Coated paper) Multi-purpose tray: 60 to 176 g/m ² (Up to 200 g/m ² with Coated paper) ADF: 50 to 105 g/m ² |
| Double sided printing | Automatic Cassette: A4, A5, A6, B5, Legal, Letter, Executive, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K Custom size - Min. 148 x 148 mm Max. 216 x 356 mm 60 to 200 g/m ² |
| INTERFACE & SOFTWARE | |
| Interface type | USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX/1000Base-T, Wireless 802.11b/g/n, Wireless Direct Connection |
| Operating System compatibility | Windows [®] 11 / Windows [®] 10 / Windows [®] 8.1 / Server [®] 2022 / Server [®] 2019 / Server [®] 2016 / Server [®] 2012R2 / Server [®] 2012 Mac OS X version 10.12 & up Linux ⁵ |
| Network Protocol | Print: TCP/IP (LPD/Port9100/IPP/IPPS/WSD) Scan: Push Scan: File: FTP (TCP/IP), SMB3.0 (TCP/IP) E-mail/fax: SMTP (send), POP3 (receive) Pull Scan: TCP/IP Management: SNMPv1, SNMPv3 (IPv4,IPv6) Security: TLS1.3, IPsec, IP address filtering, IEEE802.1X, SNMPv3, SSL (HTTPS, IPSS) Security (wireless): Infrastructure Mode: WEP64/128 bit, WPA-PSK(TKIP/AES), WPA2-PSK(TKIP/AES), WPA-EAP(AES), WPA2-EAP(AES) Access Point Mode: WPA2-PSK(AES) |
| Software and printer management | MF Scan Utility, Remote User Interface (RUI), Department ID Management, Toner Status Tool, IW Enterprise Management Console: Server-based software for centralised management of a fleet of devices eMaintenance: embedded RDS allows remote eMaintenance services such as meter capture, automatic consumables management and remote diagnostics. Application Library |
| GENERAL FEATURES | |
| Recommended Monthly Print Volume | 750 - 4,000 pages per month |
| Duty cycle | Max. 50,000 pages per month ⁶ |
| Processor Speed | 1200MHz x 2 |
| Memory | 1GB |
| Control panel | 12.7 cm LCD Colour Touch Screen |
| Dimensions with trays (W x D x H) | 425 mm x 461 mm x 430 mm |
| Installation space (W x D x H) | 625 mm x 1,117 mm x 991 mm |
| Weight | MF752Cdw Approx. 23.30 Kg MF754Cdw Approx. 23.60 kg |
| Operating environment | Temperature: 10 to 30°C (50 to 86°F) Humidity: 20 to 80% RH (no condensation) |
| Power Source | 220-240V(±10%) 50/60Hz (±2Hz) |
| Power Consumption | Maximum: Approx. 1.380 W Active printing: Approx. 700W Standby: Approx. 24.0 W Sleep mode: Approx. 1.0 W Typical Electricity Consumption (TEC): 0.30 kWh/week10 (230V) For detailed information relating to Lot26 regulation, please go to: http://www.canon-europe.com/For_Work/Lot26/index.aspx |
| Noise Levels | Sound Pressure ⁷ : Active: Simplex 51dB / Duplex 51dB (BW), 50dB (CL) Standby: 29 dB Sound Power ⁸ : Active: 65dB or less Standby: 41dB or less |
| CONSUMABLES | |
| Cartridges | Cartridge 069 Black (2,100 pages ⁹) Cartridge 069H Black (7,600 pages ⁹) Cartridge 069 Cyan (1,900 pages ⁹) Cartridge 069H Cyan (5,500 pages ⁹) Cartridge 069 Magenta (1,900 pages ⁹) Cartridge 069H Magenta (5,500 pages ⁹) Cartridge 069 Yellow (1,900 pages ⁹) Cartridge 069H Yellow (5,500 pages ⁹) |
| ACCESSORIES/ OPTIONS | |
| Items | MF754Cdw: PAPER FEEDER PF-K1 (550-sheet cassette) TEL 6 Kit Long Cord (Telephone handset) MF752Cdw: PAPER FEEDER PF-K1 (550-sheet cassette) |

- Notes:**
- Subscription to a third party cloud service is required, and subject to their party terms and conditions.
 - Commands supported only. Third party driver or direct printing from application required.
 - Scan by MF Scan Utility or Canon PRINT Business
 - Based on ITU-T Standard Chart No. 1
 - Web distribution only. Linux support printing only.
 - Duty cycle is defined as the maximum number of printed pages for a single peak month. Any usage above the recommended duty cycle may decrease the life of the product
 - Declared noise emission in accordance with ISO 9296
 - Based on ISO/IEC 19798
 - Printer ships with Black: 2,000 pages, C/M/Y: 1,200 pages starter cartridges
 - As per US ENERGY STAR[®] version 3.0.



OPTIMAL PRINT AND SCAN PRODUCTIVITY FROM A COLOUR MULTI-FUNCTION PRINTER WITH DIRECT CLOUD CONNECTIVITY

Designed for small businesses or individuals, the Canon i-SENSYS MF750 Series delivers optimised productivity for printing and scanning.



PRODUCT DETAILS:

| PRODUCT NAME | Mercury Code | EAN Code |
|-------------------|--------------|---------------|
| i-SENSYS MF754Cdw | 5455C020AA | 8714574670928 |
| i-SENSYS MF752Cdw | 5455C017AA | 8714574670898 |

ACCESSORIES:

| PRODUCT NAME | Mercury Code | EAN Code |
|-------------------------|--------------|---------------|
| PAPER FEEDER PF-K1 | 5693C001AA | 4549292201086 |
| Telephone 6 Kit EU (CW) | 0752A054AA | 4960999453910 |
| Telephone 6 Kit UK (CW) | 0752A053AA | 4960999453897 |
| Telephone 6 Kit SA (CW) | 0752A055AA | 4960999453927 |

CONSUMABLES:

| PRODUCT NAME | Mercury Code | EAN Code |
|------------------------|--------------|---------------|
| Cartridge 069 Black | 5094C002AA | 4549292196771 |
| Cartridge 069H Black | 5098C002AA | 4549292196924 |
| Cartridge 069 Yellow | 5091C002AA | 4549292196689 |
| Cartridge 069H Yellow | 5095C002AA | 4549292196801 |
| Cartridge 069 Magenta | 5092C002AA | 4549292196719 |
| Cartridge 069H Magenta | 5096C002AA | 4549292196856 |
| Cartridge 069 Cyan | 5093C002AA | 4549292196740 |
| Cartridge 069H Cyan | 5097C002AA | 4549292196887 |



Canon Ireland
3006 Lake Drive
Citywest, Saggart
Co. Dublin, Ireland
Telephone No: 01 2052400
Facsimile No: 01 2052525
canon.ie

Canon (UK) Ltd
The Bower
4 Roundwood Avenue
Stockley Park
Uxbridge
UB11 1AF

Canon Inc.
canon.com
Canon Europe
canon-europe.com
English edition
© Canon Europa N.V., 2022