



Wireless label printer

QL-810Wc









brother.co.uk/QL810Wc

Wireless label printer

The Brother QL-810Wc is a high-speed label printer which prints labels directly from a PC, Mac, smartphone or tablet using USB or Wi-Fi, as well as 2-colour labels containing black and red*.

QL-810Wc



Key Features:

- Choose from pre-sized labels or Brother's continuous roll option which allows you to print labels to the size you need up to 1metre in length
- USB and Wi-Fi connectivity with AirPrint support to print directly from another wireless device
- Built-in label editing software doesn't need installing simply click to run
- Integrated cutter to create your own length labels
- Download free P-touch Editor label design software to include barcodes, images and print from a database
- Easy drop-in label rolls

Versatile and easy-to-use

This high-speed label printer connects to your PC, Mac, smartphone or tablet using USB or Wi-Fi. Thanks to the integrated P-touch Editor Lite label design software, simply connect to your computer, click the icon to launch the software and design and print your labels. Or use the advanced P-touch Editor label design software to include barcodes, images, logos and other advanced functions. You can also print directly from MS Word, Excel and Outlook too, meaning batch labelling jobs are a breeze.

With a wide range of label sizes available in both paper and plastic films, the QL-810Wc is suitable for address and shipping labels as well as indoor signage. With Brother's unique continuous rolls and an integrated cutter, you can create custom length labels to the exact length required, all from the same roll.

Mounted on a special roll guide, Brother DK labels are easy to install and the guide ensures that each label is printed straight. Brother QL labellers are also intuitive, they recognise the size of the label installed and display this on P-touch Editor, ensuring any label prints exactly as expected.







DK rolls for the QL-800 label printer range

Wide range of labels available in paper and plastic film material, pre-sized labels or continuous rolls

DK Die-Cut Labels	Material	Colour	Size	Item No.
Standard address label (400/roll)	Paper	White	29 x 90 mm	DK-11201
Large address label (400/roll)	Paper	White	38 x 90 mm	DK-11208
Small address label (800 roll)	Paper	White	29 x 62 mm	DK-11209
Shipping label (300/roll)	Paper	White	62 x 100 mm	DK-11202
File folder label (300/roll)	Paper	White	17 x 87 mm	DK-11203
Multi-purpose label (400/roll)	Paper	White	17 x 54 mm	DK-11204
Square label (1000/roll)	Paper	White	23 x 23 mm	DK-11221
CD/DVD label (100/roll)	Film	White	58 mm	DK-11207
Round label (1200/roll)	Paper	White	12 mm	DK-11219
Round label (1000/roll)	Paper	White	24 mm	DK-11218
Visitor badge label (260/roll)	Paper	White	60 x 86 mm	DK-11234

DK Continuous-Length Tapes - 30.48m	Material	Colour	Size	Item No.
Continuous-length	Paper	White	12 mm	DK-22214
Continuous-length	Paper	White	29 mm	DK-22210
Continuous-length	Paper	White	38 mm	DK-22225
Continuous-length	Paper	White	50 mm	DK-22223
Continuous-length	Paper, non-adhesive	White	54 mm	DK-N55224
Continuous-length	Paper	White	62 mm	DK-22205
Continuous-length	Paper, removable	White	62 mm	DK-44205
Continuous-length	Paper, removable	Yellow	62 mm	DK-44605

DK Continuous-Length Tapes - 15.24m	Material	Colour	Size	Item No.
Continuous-length	Film	White	29 mm	DK-22211
Continuous-length	Film	White	62 mm	DK-22212
Continuous-length	Film	Yellow	62 mm	DK-22606
Continuous-length	Film	Clear	62 mm	DK-22113
Continuous-length - Black/Red print	Paper	White	62 mm	DK-22251

Brother Genuine DK label rolls

Print consistent, high-quality professional labels and protect your label printer by using Brother Genuine label rolls.

Specifically designed for the QL range of label printers, our continuous roll technology delivers significant cost and time savings by removing the need to use multiple rolls for different jobs.



Included items

Printer
DK-11201(100 labels)
DK-22251- 62mm width
continuous roll (5 metres)

USB cable AC power cord Documentation

Printing/media

Printing technology

Direct thermal

Print resolution

300 x 300dpi

Maximum print speed*

110 labels per minute or 176mm per second

Label widths

12mm - 62mm

Maximum print width

60.96mm

Minimum label length

12.7mm

Maximum label length

1metre

Media sensor type

Reflective

Cutter

Yes (full cut/guillotine type)

Media types

DK rolls (DK pre-sized labels /

DK continuous tape)

Control panel

Buttons

Power / Feed / Cut / P-touch Editor Lite

Connectivity

USB

USB version 2.0 full-speed

(type B)

iOS and Android compatibility

Yes (including AirPrint)

Memory

Flash (for label templates)

6MB

No. of label templates

99

Power

Power

220-240V AC internal

power supply

Auto sleep mode

Yes

Weights/dimensions

Dimensions

125 (w) x 234 (d) x 145 (h) mm

Weight

1.12kg

Software/firmware

Operating system support

(visit http://support.brother.com for latest downloads and support)

Windows:

Vista, 7, 8, 8.1, 10, 11, Server 2008, 2008 R2, 2012, 2012 R2, 2016, 2019, 2022 Mac: 10.10, 10.11, 10.12, 10.13, 10.14, 10.15, 11, 12 iOS 6 (SDK), 7 (SDK), 8, 9 (iPrint&Label App) iOS 7, 8, 9, 10, 11 (iOS SDK) Android 4.1 or greater (iPrint&Label App) Android 4.0.3 or greater (Android SDK)

Label editor support

P-touch Editor (Windows/Mac) Add-In for Microsoft Word/ Excel/Outlook P-touch Editor Lite (Windows) iPrint&Label (iOS/Android)

SDK availability

(visit http://www.brother.eu/developer)

b-PAC (for Windows) iOS SDK Android SDK

Supported printer commands

ESC/P P-touch template Raster

Label crop and print

(convert A4 sheets of labels to individual labels automatically)

Yes (Windows only)

Barcode symbologies

(using P-touch Editor for Windows)

CODE39, CODE128, UCC/ EAN128 (GS1-128), ITF(I-2/5), CODABAR(NW-7), UPC-A, UPC-E, EAN13, EAN8, ISBN-2 (EAN13 AddOn2), ISBN-5 (EAN13 AddOn5), Laser Barcode, POSTNET, RSS (RSS14 Standard, RSS14 Truncated, RSS14 Stacked, RSS14 Stacked Omni, RSS Limited, RSS Expanded, RSS Expanded Stacked), PDF417 (Standard, Truncate, Micro), QR code (Model1, Model2, Micro), Data Matrix (ECC Square, ECC Rectangular), MaxiCode (Model2, Model3, Model4, Model5), IMB

Barcode symbologies

(using P-touch Editor for Mac)

CODE39, CODE128, UCC/ EAN128 (GS1-128), ITF(I-2/5), CODABAR (NW-7), UPC-A, UPC-E, EAN13, EAN8, ISBN-2 (EAN13 AddOn2), ISBN-5 (EAN13 AddOn5), Laser Barcode, POSTNET, GS1 DataBar (RSS) (GS1 DataBar Omnidirectional, GS1 DataBar Truncated, GS1 DataBar Stacked, GS1 DataBar Stacked Omnidirectional, GS1 DataBar Limited, GS1 DataBar Expanded, GS1 DataBar Expanded Stacked), PDF417 (Standard, Truncate, Micro), QR code (Model1, Model2, Micro), Data Matrix (ECC Square, ECC Rectangular), MaxiCode (Model2, Model3, Model4, Model5), IMB

Barcode symbologies

(Built-in printer firmware)

CODE39, CODE128, UCC/ EAN-128 (GS1-128), ITF (I-2/5), CODABAR(NW-7), UPC-A, UPC-E, EAN13 (JAN13), EAN8, GS1 DataBar (RSS) (GS1 DataBar Omnidirectional, GS1 DataBar Truncated, GS1 DataBar Stacked, GS1 DataBar Stacked Omnidirectional, GS1 DataBar Limited, GS1 DataBar Expanded, GS1 DataBar Expanded Stacked), PDF417 (Standard, Truncate, Micro), QR Code(Model 1, Model 2, Micro), Data Matrix (ECC200 Square, ECC200 Rectangular), MaxiCode, CODE93 POSTNET, UPC-E EXTENTION

Internal fonts

Bitmap fonts: Helsinki, Brussels, Letter Gothic Bold, San Diego, Brougham. Bitmap font sizes: 24 dots, 32 dots, 48 dots. Outline fonts: Helsinki, Brussels, Letter Gothic. Outline font sizes: 33 dots - 400 dots (22 sizes)

^{*} Brother standard test environment. Using DK-11201 standard labels and USB connection.



Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.

www.brotherearth.com

All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.





Contac	ot:			

www.brother.co.uk

Brother UK Ltd

Shepley Street, Audenshaw, Manchester, M34 5JD

Tel: +44(0)161 330 6531 Fax: +44(0)161 330 5520