

Poly Studio E70 Smart Camera

As good as being together

The Poly Studio E70 is an intelligent camera that brings clear video quality, and advanced analytics to meeting rooms. Dual cameras are boosted by Poly DirectorAI technology to create a vibrant video experience.



*Product image may differ from actual product

Crystal clear video

Experience lifelike clarity in your large meeting rooms with an intelligently built camera made for hybrid working environments. And with the dual camera and seamless transitions - everyone is seen in sharp detail.

Intelligent camera technology

An artistically engineered meeting experience and AI come together to create Poly DirectorAI smart camera technology. Choose between different framing and tracking modes to create the most equitable experience for your hybrid meetings.

Datasheet

Poly Studio E70 Smart Camera

Featuring



Dual camera with 4K sensors

Dual camera with 20-megapixel 4K sensors creates a vibrant video experience. Seamlessly transition between a wide angle and narrow lens so everyone can be seen in sharp detail.

AI-driven camera array

Poly DirectorAI smart camera technology ensures everyone is seen clearly with pinpoint accurate automatic framing.

Privacy shutter

Keep your meeting room conversations private when they need to be with a motorized, integrated electronic privacy shutter for peace of mind.

Easy management via Poly Lens

Take control of your deployment from anywhere via remote management with Poly Lens cloud-based device management software.

Communications platforms

Connects easily to Microsoft Teams Rooms on Windows, Zoom Rooms on Windows, Poly Studio G62 and Poly G7500 for streamlined deployments.¹

Datasheet

Poly Studio E70 Smart Camera

Specifications

Camera

Camera resolution: 2160p, 4K UHD (3840 x 2160)

Diagonal field of view (dFoV): 78°; 140°

Horizontal field of view (hFoV): 120°; 70°

Total Camera Megapixels: 2 x 20 MP

Zoom capability: 7.3x digital

Camera type: Dual-Lens

Lens privacy capabilities: Integrated

Camera range (metric): Up to 7.62 m

Camera range (imperial): Up to 25 ft

Smart camera technology: Poly DirectorAI with speaker framing; People framing; Group framing;

DirectorAI perimeter

Connectivity and communications

External I/O ports:

1 USB Type-C® 5Gbps signaling rate

1 RJ-45

Audio

Power adapter port: 1 x 4.5 mm

Other features

Special features: Meeting participant counting; Electronic privacy shutter

Power supply

Power supply type: External

Power features: 100 - 240 VAC 50/60 Hz, 1.5A input

12 VDC, 5A, 60 W output

Power over Ethernet (PoE), 802.3af, 15.4 W, Class 3

Environmental

Operating Altitude (imperial) / Operating Altitude (metric): 16,000 ft / 4,877 m

Operating humidity range: 15 to 80%

Non-operating humidity range: 5 to 95%

Operating Temperature Range (Celsius) / Operating Temperature Range (Fahrenheit): 0 to 40 °C / 32 to 104 °F

Non-operating temperature - Celsius: -40 to 70 °C

Non-operating temperature - fahrenheit: 40 to 158 °F

Management

Management software:

Poly Lens

Weight and dimensions

Product Primary Color: White

Weight (imperial): 2 lb

Weight (metric): 907 g

Product dimensions (imperial): 12.63 x 4.02 x 3.51 in

Product Dimensions (metric): 321 x 102 x 891 mm

Master carton dimension (imperial): 9.64 x 17.32 x 11.61 in

Master carton dimension (metric): 24.5 x 44 x 29.5 cm

Cartons per layer: 21

Pallet (layers): 9

Cartons per pallet: 189

Products per layer: 21

Products per pallet: 189

Pallet weight: 787.05 lb; 357 kg

Pallet dimensions (imperial): 40 x 48 x 58.66 in

Pallet dimensions (metric): 101.6 x 121.9 x 149 cm

Product number: 842F8AA

Product name: Poly Studio E70 Smart Camera

Warranty

Poly standard one-year limited warranty

Country of origin

Country of origin: Made in Laos

What is in the box

Poly Studio E70

Ethernet cable

Wall mount kit

USB Type-A to USB Type-C® cable

Feature Messaging Footnotes

¹ Visit <https://www.poly.com/us/en/products/video-conferencing/studio/studio-e70> for more detail.

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

October 2024

Datasheet