## EcoTank ET-18100



# Fast and feature-rich, this 6-colour A3+ photo printer delivers high volume, hassle-free printing at an ultra-low cost.

With an ultra-low cost-per-photo and mobile printing, this fast, cartridge-free inkjet is perfect for high volume A3+ photo printing. With a compact design, key-lock bottles and front facing ink tanks for easier ink filling, the ET-18100 offers a space-saving and easy-to-use solution. Offering wide media compatibility, print on PVC ID cards, as well as CDs and DVDs.

## Say goodbye to cartridges

An integrated front facing ink tank system delivers cost-effective photo prints. The high capacity ink tank, utilising 70ml ink bottles, can print up to 2,100 quality 10x15cm colour photos from a set of replacement ink bottles<sup>1</sup>. Refilling ink is quick and easy thanks to key-lock bottles with drip-free nozzles.

## Keep on saving

Take advantage of ultra-low-cost prints. Thanks to Heat-Free Micro Piezo printhead technology, EcoTank has a low energy consumption, which can reduce energy bills. It also features large ink tanks that you fill with low-cost ink bottles. Compact in design, the ET-18100 fits most spaces with ease.

## Easy-to-use and reliable

This model is ideal if you're looking to print great quality photos in high volumes for a low cost-per-photo. The ET-18100 also offers reliable wireless photo printing, and printing onto PVC ID cards, CDs and DVDs. Avoid downtime with the easy-to-access replaceable maintenance box and pickup roller. With a standard 1 year or 50,000 page warranty<sup>2</sup>, the ET-18100 provides peace of mind, so users can focus on capturing great photos.

## Print from almost anywhere

It's easy to print from mobiles, tablets and laptops using the ET-18100. With Wi-Fi and Wi-Fi Direct, send documents to print from smart devices using the Epson Smart Panel app<sup>3</sup>.

## DATASHEET / BROCHURE



## **KEY FEATURES**

- Ultra-low-cost photos Print up to 2,100 high-quality photos with the replacement ink bottles<sup>1</sup>
- Fast print speeds Print 10x15cm borderless photos in as little as 12 seconds<sup>4</sup>
- Easy-to-use front ink tank Enjoy hassle and mess-free refills with enhanced ink bottles
- Mobile printing and connectivity Wi-Fi, Wi-Fi Direct and Epson Smart Panel app<sup>3</sup>

#### Legal Statement

Complies with The UK Product Security and Telecommunications Infrastructure (Product Security) requirements. Epson will provide security updates for 7 years from purchase



## PRODUCT SPECIFICATIONS

TECHNOLOGY			
Printing Method	6-colour inkjet printer		
Nozzle Configuration	180 Nozzles Black, 900 Nozzles per Color		
Minimum Droplet Size	1.5 pl		
Ink Technology	Dye Ink		
Printing Resolution	5,760 x 1,440 DPI		
Category	Photo		
All-in-One Functions	Print		
PRINT			
Number of colours	6 colour		
Printing Speed ISO/IEC 24734	8 pages/min Monochrome, 8 pages/min Colour		
Maximum Printing Speed	22 pages/min Monochrome (plain paper 75 g/m²), 22 pages/min Colour (plain paper 75 g/m²),		
	25 Seconds per 10 x 15 cm photo (Epson Premium Glossy Photo Paper)		
First Page Out	Monochrome 14 Seconds, Colour 14 Seconds, According to IEEE/ISO 17629		
Print from	Mobile Device		
Colours	Black [Dye], Cyan [Dye], Light Cyan [Dye], Yellow [Dye], Magenta [Dye], Light Magenta [Dye]		
Colours Capacity	Black [70ml], Cyan [70ml], Light Cyan [70ml], Yellow [70ml], Magenta [70ml], Light Magenta		
	[70ml]		
For detailed information on pr	inting speeds please visit http://www.epson.eu/testing.		
PAPER / MEDIA HANDLING			
Number of paper trays	1		
Paper Formats	A3+, A3 (29.7x42.0 cm), A4 (21.0x29.7 cm), A5 (14.8x21.0 cm), A6 (10.5x14.8 cm), B6, B5, B4,		
	No. 10 (Envelope), DL (Envelope), C6 (Envelope), C4 (Envelope), 10 x 15 cm, 13 x 18 cm, Letter		
	Legal		
Output Tray Capacity	100 Sheets		
Paper Tray Capacity	80 Sheets Standard		
Compatible Paper Weight	64 - 300g/m²		
Media Handling	Borderless Print, CD/DVD print		
GENERAL			
Recommended number of	From: 1 To: 2		
users			
Energy Use	0.6 Watt (sleep mode), 19 Watt (Printing), 4.4 Watt (Ready), 0.2 Watt (Power off), TEC 0.13		
Energy Use	0.6 Watt (sleep mode), 19 Watt (Printing), 4.4 Watt (Ready), 0.2 Watt (Power off), TEC 0.13 kWh/week		
Supply Voltage	kWh/week		
Supply Voltage Product dimensions	kWh/week AC 100 V - 240 V, 50 Hz - 60 Hz		
Supply Voltage Product dimensions Product weight	kWh/week AC 100 V - 240 V, 50 Hz - 60 Hz 523 x 369 x 150 mm (Width x Depth x Height)		
Supply Voltage Product dimensions Product weight	kWh/week AC 100 V - 240 V, 50 Hz - 60 Hz 523 x 369 x 150 mm (Width x Depth x Height) 8 kg		
Supply Voltage Product dimensions Product weight Noise Level	kWh/week AC 100 V - 240 V, 50 Hz - 60 Hz 523 x 369 x 150 mm (Width x Depth x Height) 8 kg 5 B (A) with Epson Premium Glossy Photo Paper / Photo RPM mode - 40 dB (A) with Epson		
Supply Voltage Product dimensions Product weight Noise Level Compatible Operating	kWh/week AC 100 V - 240 V, 50 Hz - 60 Hz 523 x 369 x 150 mm (Width x Depth x Height) 8 kg 5 B (A) with Epson Premium Glossy Photo Paper / Photo RPM mode - 40 dB (A) with Epson Premium Glossy Photo Paper / Photo RPM mode		
Supply Voltage Product dimensions Product weight Noise Level Compatible Operating	kWh/week AC 100 V - 240 V, 50 Hz - 60 Hz 523 x 369 x 150 mm (Width x Depth x Height) 8 kg 5 B (A) with Epson Premium Glossy Photo Paper / Photo RPM mode - 40 dB (A) with Epson Premium Glossy Photo Paper / Photo RPM mode Mac OS X 10.9.5 or later, Windows 10 (32/64 bit), Windows 11, Windows 7 (32/64 bit),		
Supply Voltage Product dimensions Product weight Noise Level Compatible Operating	kWh/week AC 100 V - 240 V, 50 Hz - 60 Hz 523 x 369 x 150 mm (Width x Depth x Height) 8 kg 5 B (A) with Epson Premium Glossy Photo Paper / Photo RPM mode - 40 dB (A) with Epson Premium Glossy Photo Paper / Photo RPM mode Mac OS X 10.9.5 or later, Windows 10 (32/64 bit), Windows 11, Windows 7 (32/64 bit), Windows 8 (32/64 bit), Windows 8.1 (32/64 bit), Windows Server 2008 R2, Windows Server		
Supply Voltage Product dimensions Product weight Noise Level Compatible Operating	kWh/week AC 100 V - 240 V, 50 Hz - 60 Hz 523 x 369 x 150 mm (Width x Depth x Height) 8 kg 5 B (A) with Epson Premium Glossy Photo Paper / Photo RPM mode - 40 dB (A) with Epson Premium Glossy Photo Paper / Photo RPM mode Mac OS X 10.9.5 or later, Windows 10 (32/64 bit), Windows 11, Windows 7 (32/64 bit), Windows 8 (32/64 bit), Windows 8.1 (32/64 bit), Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2016, Windows Vista (32/64 bit), Windows XP Professional x64		
Supply Voltage Product dimensions Product weight Noise Level Compatible Operating Systems	kWh/week AC 100 V - 240 V, 50 Hz - 60 Hz 523 x 369 x 150 mm (Width x Depth x Height) 8 kg 5 B (A) with Epson Premium Glossy Photo Paper / Photo RPM mode - 40 dB (A) with Epson Premium Glossy Photo Paper / Photo RPM mode Mac OS X 10.9.5 or later, Windows 10 (32/64 bit), Windows 11, Windows 7 (32/64 bit), Windows 8 (32/64 bit), Windows 8.1 (32/64 bit), Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2016, Windows Vista (32/64 bit), Windows XP Professional x64 Edition SP2 or later, Windows XP SP3 or later (32-bit), Windows Server 2003 R2, Windows		
Supply Voltage Product dimensions Product weight Noise Level Compatible Operating Systems	kWh/week AC 100 V - 240 V, 50 Hz - 60 Hz 523 x 369 x 150 mm (Width x Depth x Height) 8 kg 5 B (A) with Epson Premium Glossy Photo Paper / Photo RPM mode - 40 dB (A) with Epson Premium Glossy Photo Paper / Photo RPM mode Mac OS X 10.9.5 or later, Windows 10 (32/64 bit), Windows 11, Windows 7 (32/64 bit), Windows 8 (32/64 bit), Windows 8.1 (32/64 bit), Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2016, Windows Vista (32/64 bit), Windows XP Professional x64 Edition SP2 or later, Windows XP SP3 or later (32-bit), Windows Server 2003 R2, Windows Server 2003 SP2 or later		
Supply Voltage Product dimensions Product weight Noise Level Compatible Operating Systems Interfaces WLAN Security Mobile and Cloud printing	kWh/week AC 100 V - 240 V, 50 Hz - 60 Hz 523 x 369 x 150 mm (Width x Depth x Height) 8 kg 5 B (A) with Epson Premium Glossy Photo Paper / Photo RPM mode - 40 dB (A) with Epson Premium Glossy Photo Paper / Photo RPM mode Mac OS X 10.9.5 or later, Windows 10 (32/64 bit), Windows 11, Windows 7 (32/64 bit), Windows 8 (32/64 bit), Windows 8.1 (32/64 bit), Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2016, Windows Vista (32/64 bit), Windows XP Professional x64 Edition SP2 or later, Windows XP SP3 or later (32-bit), Windows Server 2003 R2, Windows Server 2003 SP2 or later USB, WiFi, Wi-Fi Direct		
Energy Use Supply Voltage Product dimensions Product weight Noise Level Compatible Operating Systems Interfaces WLAN Security Mobile and Cloud printing services Power supply	kWh/week AC 100 V - 240 V, 50 Hz - 60 Hz 523 x 369 x 150 mm (Width x Depth x Height) 8 kg 5 B (A) with Epson Premium Glossy Photo Paper / Photo RPM mode - 40 dB (A) with Epson Premium Glossy Photo Paper / Photo RPM mode Mac OS X 10.9.5 or later, Windows 10 (32/64 bit), Windows 11, Windows 7 (32/64 bit), Windows 8 (32/64 bit), Windows 8.1 (32/64 bit), Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2016, Windows Vista (32/64 bit), Windows XP Professional x64 Edition SP2 or later, Windows XP SP3 or later (32-bit), Windows Server 2003 R2, Windows Server 2003 SP2 or later USB, WiFi, Wi-Fi Direct WEP 64 Bit, WEP 128 Bit, WPA PSK (TKIP), WPA2 PSK (AES), WPA3-SAE(AES)		
Supply Voltage Product dimensions Product weight Noise Level Compatible Operating Systems Interfaces WLAN Security Mobile and Cloud printing services Power supply	<ul> <li>kWh/week</li> <li>AC 100 V - 240 V, 50 Hz - 60 Hz</li> <li>523 x 369 x 150 mm (Width x Depth x Height)</li> <li>8 kg</li> <li>5 B (A) with Epson Premium Glossy Photo Paper / Photo RPM mode - 40 dB (A) with Epson Premium Glossy Photo Paper / Photo RPM mode</li> <li>Mac OS X 10.9.5 or later, Windows 10 (32/64 bit), Windows 11, Windows 7 (32/64 bit), Windows 8 (32/64 bit), Windows 8.1 (32/64 bit), Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2016, Windows Vista (32/64 bit), Windows XP Professional x64</li> <li>Edition SP2 or later, Windows XP SP3 or later (32-bit), Windows Server 2003 R2, Windows Server 2003 SP2 or later</li> <li>USB, WiFi, Wi-Fi Direct</li> <li>WEP 64 Bit, WEP 128 Bit, WPA PSK (TKIP), WPA2 PSK (AES), WPA3-SAE(AES)</li> <li>Epson Smart Panel App, Epson Connect (Email Print, Remote Print Driver)</li> </ul>		
Supply Voltage Product dimensions Product weight Noise Level Compatible Operating Systems Interfaces WLAN Security Mobile and Cloud printing services	<ul> <li>kWh/week</li> <li>AC 100 V - 240 V, 50 Hz - 60 Hz</li> <li>523 x 369 x 150 mm (Width x Depth x Height)</li> <li>8 kg</li> <li>5 B (A) with Epson Premium Glossy Photo Paper / Photo RPM mode - 40 dB (A) with Epson Premium Glossy Photo Paper / Photo RPM mode</li> <li>Mac OS X 10.9.5 or later, Windows 10 (32/64 bit), Windows 11, Windows 7 (32/64 bit), Windows 8 (32/64 bit), Windows 8.1 (32/64 bit), Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2016, Windows Vista (32/64 bit), Windows XP Professional x64</li> <li>Edition SP2 or later, Windows XP SP3 or later (32-bit), Windows Server 2003 R2, Windows Server 2003 SP2 or later</li> <li>USB, WiFi, Wi-Fi Direct</li> <li>WEP 64 Bit, WEP 128 Bit, WPA PSK (TKIP), WPA2 PSK (AES), WPA3-SAE(AES)</li> <li>Epson Smart Panel App, Epson Connect (Email Print, Remote Print Driver)</li> </ul>		

EcoTank ET-18100

## WHAT'S IN THE BOX

- 6 x 70ml individual ink bottles (Bk,C,Y,M,Lc,LM)
- Power cable
- Printer
- Quick Start Guide



## LOGISTICS INFORMATION

sкu	C11CK38401BY
EAN code	8715946702964
Country of Origin	Indonesia
Layer	2 Units
Layer Block	3 Units

#### EcoTank ET-18100

#### INK BOTTLE COMPATIBILITY



#### INK BOTTLE YIELD DATA

	ĺ] ● ĺ	3 • • • • •
Included	1,500 photos*	1,500 photos*
Replacement	2,100 photos*	2,100 photos*

\* Approx. page yield based on ISO/IEC 24711/24712 or ISO/ IEC 29102/29103. Actual yield will vary depending on images printed and usage conditions. For more information visit http://www.epson.eu/pageyield

1. Quoted ink bottle photo yields are extrapolated based on the ISO/IEC 29103 pattern with Epson's methodology printing photos in 10x15cm format, and NOT based on ISO/IEC 29102. Quoted yields may vary depending on the images that you are printing, the paper type that you are using, the frequency of your prints and environmental conditions such as temperature. During the initial printer setup, a certain amount of ink is used to fill the print head's nozzles, therefore the yield of the initial bundled set can be lower. For more information visit www.epson.eu/pageyield 2. Terms and conditions apply. For details, visit

www.epson.eu/printerwarranty
3. Mobile printing solutions require a wireless and/or an internet connection to the printer. For a list of Epson Connect enabled printers, compatible devices, apps and ways to connect, visit www.epson.eu/connect
4. For test conditions, please visit www.epson.eu/testing

**EPSON**<sup>®</sup>

For more information please contact:

Home users: 0343 90 37766 Business users<sup>1</sup>: 0871 42 37766 Republic of Ireland: 01 436 7742 Or visit us at https://www.epson.co.uk/contactus \* 10p per minute plus network extras. Web: www.epson.co.uk www.epson.ie

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice. Last extracted: 2024-07-30