










SMART LABEL PRINTER[®] SLP620 / 650 / 650SE

SMART LABEL GUIDE – ORIGINAL SIZE







SLP-FW

190 mm

SLP-FN

190 mm

38 mm

54 mm

SLP-TP

TP

54 mm

25 mm

SLP-DRL

70 mm

54 mm

SLP-STAMP1

42 mm

36 mm

SLP-STAMP2

67 mm

36 mm

SLP-ENT

TAG

75 mm

39 mm

SLP-NB

COL

70 mm

54 mm

SLP-NR

COL

70 mm

54 mm


SLP-FLW

87mm

14 mm

SPECIFICATION

Label Type	Product Code	Size	Labels/Roll	Rolls/Box	Box/Carton	Property	
Address Labels							
Address Label clear	SLP-2RLC	28 x 89 mm	130	2	6	C	
Address Label white	large roll for SLP-TRAY		SLP-1RLB	1,000	1	12	HC
	standard		SLP-2RL	130	2	6	STANDARD
	removable		SLP-R2RL	130	2	6	R
	toughie		SLP-TRL	130	2	6	T
Address Label colored	blue		SLP-1BLB	130	1	12	COL
	green		SLP-1GLB	130	1	12	COL
	orange		SLP-1OLB	130	1	12	COL
	pink		SLP-1PLB	130	1	12	COL
	yellow		SLP-1YLB	130	1	12	COL
Address Labels colored: Blue, green, pink and yellow in one box	SLP-4AST	130	4	20	COL		
Address Label white	large roll	SLP-2RLH	260	2	6	HC	
	standard	SLP-2RLE	36 x 89 mm	260	2	6	STANDARD
Return Address Label clear	SLP-RTNC	16 x 51 mm	220	2	6	C	
Shipping Labels							
Shipping Label white	standard	SLP-SRL	220	1	6	STANDARD	
	large roll for SLP-TRAY	SLP-SRLB	900	1	12	HC	
	removable	SLP-RSRL	220	1	6	R	
	opaque	SLP-OPSRL	220	1	6	OP	
Shipping Label clear	SLP-SRLC	220	1	6	C		
Multipurpose Labels							
Multipurpose Label white, narrow	SLP-27210	10 x 71 mm	150	1	12	STANDARD	
	SLP-35L	11 x 38 mm	300	1	6	STANDARD	
	SLP-JWL	11 x 51.5 mm	1,050	1	6	STANDARD	
	SLP-VSL	19 x 147 mm	75	2	6	STANDARD	
Multipurpose Label white	tamper proof	SLP-TP	25 x 54 mm	760	1	6	TP
	round	SLP-RND	Ø 28 mm	120	2	12	STANDARD
	standard	SLP-MRL	28 x 51 mm	220	2	6	STANDARD
	large roll for SLP-TRAY	SLP-MRLB		1,700	1	12	HC
Multipurpose Label clear	SLP-MRLC	220		2	6	C	
Multipurpose Label white	removable	SLP-RMRL		220	2	6	R
	toughie	SLP-TMRL	220	2	6	T	
	opaque	SLP-OPMRL	220	2	6	OP	
	standard	SLP-VTL	46 x 78 mm	150	1	6	STANDARD
standard	SLP-ZIP	51 x 59.5 mm	190	1	6	STANDARD	
Multipurpose Label orange, round	SLP-RDO	Ø 54 mm	120	1	6	COL	
Multipurpose Label white	multi-part	SLP-MPL4	54 x 101 mm	220	1	6	STANDARD
Multipurpose Label hologram, tag	SLP-DIA	57 x 150 mm	300	1	6	TAG	
Office Supply Labels							
Stamp Label white	SLP-STAMP1	36 x 42 mm	485	2	6	STANDARD	
	SLP-STAMP2	36 x 67 mm	310	2	6	STANDARD	
File Folder Label white	standard	SLP-FLW	14 x 87 mm	130	2	6	STANDARD
	narrow	SLP-FN	38 x 190 mm	110	1	6	STANDARD
	wide	SLP-FW	54 x 190 mm	110	1	6	STANDARD
Name Badge Label white	tag	SLP-ENT	39 x 75 mm	300	2	6	TAG
	blue border	SLP-NB	54 x 70 mm	160	1	6	COL
	red border	SLP-NR		160	1	6	COL
	standard	SLP-DRL		320	1	6	STANDARD
	tag	SLP-ENTL	57 x 89 mm	250	1	6	TAG
Business/Appointment Card white, tag	SLP-FCS2	600	1	6	TAG		



SMART LABEL PRINTER® SLP620/650/650SE



SLP620


- 203 dpi, 70 mm/s, USB, 6 V
- 113.8 x 172 x 148 mm (W x D x H)
- 490 g
- Windows®: 8.1, 10, 11
- Mac®: 10.6 or later
- Smart Label Creator Software
- Prints barcodes, graphics and text
- 3 year warranty

SLP650

- 300 dpi, 100 mm/s, USB, 12 V
- 113.8 x 172 x 148 mm (W x D x H)
- 490 g
- Windows®: 8.1, 10, 11
- Mac®: 10.6 or later
- Smart Label Creator Software
- Prints barcodes, graphics and text
- 3 year warranty


SLP650SE

- 300 dpi, 100 mm/s, USB & Serial, 12 V
- 113.8 x 172 x 148 mm (W x D x H)
- 490 g
- Windows®: 8.1, 10, 11
- Mac®: 10.6 or later
- Smart Label Creator Software
- Prints barcodes, graphics and text
- 3 year warranty



Pre-printed labels available

- With the text and logo of your choice
- In the color and language of your choice
- Special „visitor“ software available



Seiko Instruments GmbH

Siemensstraße 9, 63263 Neu-Isenburg, Germany
 phone: +49-6102-297-0 · e-mail: info@seiko-instruments.de
 www.seiko-instruments.de

SLP - Label Paper specification Typical Values

Face Paper Description

White top-coated Thermal Paper (Bisphenol-Free Thermal Paper). The image color is black. It is designed for the use with the Seiko Instruments **Smart Label Printer** series. The paper material is FSC-CoC Certified.

Physical characteristics	Typical value	Test Method
Grammage	72 ± 5 g/m ²	ISO 536
Thickness	80 ± 5 µm	ISO 534

Adhesive Description

The adhesive is a clear, acrylic emulsion adhesive featuring excellent tack.

Tack Strength	Unit	Value
SUS	N/25mm	11(pt)
K liner	N/25mm	15(pt)

Physical characteristics	Typical value	Test Method
Thickness	18 ± 5 µm	ISO 534

Liner / Backing Description

The release paper is a White Glassine Paper.

Physical characteristics	Typical value	Test Method
Grammage	58 ± 5 g/m ²	ISO 536
Thickness	55 ± 5 µm	ISO 534

Total caliper of the Laminat: 153 µm ± 10% ISO 534

Shelf Life

One year under storage conditions (Temperature 20-25°C // Humidity 50% ± 5% RH)



Seiko Instruments GmbH - Siemensstraße 9 - D-63263 Neu-Isenburg

An die zuständige Abteilung /
To whom it may concern



Seiko Instruments GmbH
Siemensstraße 9
63263 Neu-Isenburg, Germany
Telephone: +49-6102-297-0
Telefax: +49-6102-297-222
www.seiko-instruments.de

Neu-Isenburg, Nov 26th, 2021

Konformitätsbescheinigung

Wir bestätigen hiermit, dass die Rohstoffe für die Produktion unserer Standard SLP Rollenware kein Bisphenol A (BPA) enthalten.

Produkte:

SLP Tag (nicht klebend) / Etikettenrollen Standard Portfolio inkl. ablösbar, toughie, transparent*

*umfasst keine kundenspezifischen Produkte

Certificate of Compliance

We hereby certify that the raw material for the standard SLP series of roll products do not use any Bisphenol A (BPA) for the production.

Products:

SLP Tag / Label rolls standard portfolio incl. removable, toughie, clear*

*not included special customized products

Andrea Schultheis
Product Manager

Bank of Tokyo-Mitsubishi UFJ Ltd.
Düsseldorf Branch
Account No.: 022590
Bank Code: 30010700
BIC/SWIFT: BOTKDE33
IBAN: DE 51 3001 0700 0000 0225 90

Mizuho Bank, Ltd.
Düsseldorf
BIC/SWIFT: MHCBD333
EURO IBAN: DE 77 3002 0700 3017 7330 03
JPY IBAN: DE 06 3002 0700 3017 7330 20

Register of Companies
Offenbach am Main
HRB 8309
ILN 43 99901 35634 4
VAT ID No. DE 113583979

Managing Director
Frank Kühn