

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 as amended

SDS #: A-10536	Xerox® Everyday™ Toner - Black, Cyan, Magenta, Yellow	
Issuing Date 2020-09-09	Revision Date 2020-09-15 European Version Only	Version
1. IDENTIFICATION OF TH	E SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDER	TAKING
1.1 Product Identifier		
Product Name	Xerox® Everyday™ Toner for Kyocera TASKalfa 2550 2551Cl	OCI, Kyocera TASKalfa
Part no.	006R03970, 006R03971, 006R03972, 006R03973 006R0397 006R03981	8, 006R03979, 006R03980,
Colour	Black, Cyan, Magenta, Yellow	
1.2 Relevant identified uses	of the substance or mixture and uses advised against	
Recommended Use	Xerographic printing	
1.3 Details of the supplier of	the safety data sheet	
Sanders Uxbridg	4 e Business Park son Road	
For further information, pleas Contact person	<u>e contact</u> Manager, Environment, Health, Safety & Sustainability	
Phone E-mail address	++44 (0)1707 353434 ehs-europe@xerox.com	
For the most current docume	nt https://safetysheets.business.xerox.com	
1.4 Emergency telephone nu	mber	
Not applicable		
2. HAZARDS IDENTIFICAT	ION	
2.1 Classification of the subs	tance or mixture	

According to present data no classification and labelling is required according to Regulation (EC) No 1272/2008

# 2.2 Label elements

None

## 2.3 Other hazards

Page 1/9



Page 2/9

xerox

**SDS # :** A-10536

# Xerox® Everyday™ Toner - Black, Cyan, Magenta, Yellow

**Issuing Date** 2020-09-09

Revision Date 2020-09-15

Version 1

Not a PBT according to REACH Annex XIII May form explosible dust-air mixture if dispersed

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Mixtures

Chemical Name	Weight %	CAS No.	EC-No	Classification (Reg. 1272/2008)	Hazard Statements	REACH Registration Number
Polyester resin	70-80	Proprietary	Not listed			
Styrene / acrylate copolymer	2-8	Proprietary	Not listed			
Cyan pigment	2-8	Proprietary	Listed			01-2119458771-32-0044
Wax	1-8	Proprietary	Not listed			
Carbon black	2-8	1333-86-4	215-609-9			01-2119384822-32-0065
Magenta pigment	2-8	Proprietary	Listed			01-2120029624-59-0007
Yellow pigment	2-8	Proprietary	Listed			
Silica	1-6	67762-90-7	Not listed			
Titanium dioxide	0.1-2	13463-67-7	236-675-5			

### Note

"--" indicates no classification or hazard statements apply.

Components marked as "Not Listed" are exempt from registration.

Where no REACH registration number is listed, it is considered confidential to the Only Representative.

# 4. FIRST AID MEASURES

# 4.1 Description of first aid measures

General advice	For external use only. When symptoms persist or in all cases of doubt seek medical advice. Show this safety data sheet to the doctor in attendance.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes
Skin contact	Wash skin with soap and water
Inhalation	Move to fresh air
Ingestion	Rinse mouth with water and afterwards drink plenty of water or milk

### 4.2 Most important symptoms and effects, both acute and delayed

Acute toxicity	
Eyes	No known effect
Skin	No known effect
Inhalation	No known effect
Ingestion	No known effect
Chronic effects	
Chronic toxicity	No known effects under normal use conditions
Main symptoms	Overexposure may cause:
	mild respiratory irritation similar to nuisance dust.



Page 3/9

**SDS #**: A-10536

# Xerox® Everyday™ Toner - Black, Cyan, Magenta, Yellow

Issuing Date 2020-09-09	Revision Date 2020-09-15	Version 1

### 4.3 Indication of immediate medical attention and special treatment needed

Protection of first-aiders	No special protective equipment required
Notes to physician	Treat symptomatically

## 5. FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

Suitable extinguishing media Use water spray or fog; do not use straight streams, Foam

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire

### 5.2 Special hazards arising from the substance or mixture

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

Hazardous combustion products Hazardous decomposition products due to incomplete combustion, Carbon oxides, Nitrogen oxides (NOx)

### 5.3 Advice for fire-fighters

In the event of fire and/or explosion do not breathe fumes. Wear fire/flame resistant/retardant clothing. Use self-contained pressure-demand breathing apparatus if needed to prevent exposure to smoke or airborne toxins. Wear self-contained breathing apparatus and protective suit.

### Other information

Flammability	Not flammable
Flash point	Not applicable

# 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing dust

### 6.2 Environmental precautions

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways

### 6.3 Methods and material for containment and cleaning up

Methods for containment	Prevent dust cloud	
Methods for cleaning up	Use a vacuum cleaner to remove excess, then wash with COLD water. Hot	ot water fuses
	the toner making it difficult to remove	



Page 4/9

**SDS #**: A-10536

# Xerox® Everyday™ Toner - Black, Cyan, Magenta, Yellow

Issuing Date 2020-09-09

Revision Date 2020-09-15

Version 1

### 6.4 Reference to other sections

See section 12 for additional ecological information See Section 13 for additional information

# 7. HANDLING AND STORAGE

# 7.1 Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice, Avoid dust accumulation in enclosed space, Prevent dust cloud

Hygiene measures None under normal use conditions

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place, Store at room temperature

### 7.3 Specific end uses

Xerographic printing

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

Xerox Exposure Limit Xerox Exposure Limit	2.5 mg/m <sup>3</sup> (total dust) 0.4 mg/m <sup>3</sup> (respirable dust)
8.2 Exposure controls	
Engineering measures	None under normal use conditions
Personal protective equipment	
Eye/face protection Hand protection Skin and body protection Respiratory protection Thermal hazards	No special protective equipment required No special protective equipment required No special protective equipment required No special protective equipment required None under normal processing
Environmental Exposure Controls Environmental Exposure Controls	Keep out of drains, sewers, ditches and waterways
9. PHYSICAL AND CHEMICAL P	ROPERTIES

#### 9.1 Information on basic physical and chemical properties

Appearance	Powder	Odour	Faint
Physical state	Solid	Odour threshold	Not applicable



Page 5/9

**SDS # :** A-10536

# Xerox® Everyday™ Toner - Black, Cyan, Magenta, Yellow

Issuing Date 2020-09-09	Revision Date 2020-09-15	Version 1
<b>Colour</b> Bla	ack, Cyan, Magenta, Yellow <b>pH</b>	Not applicable
Flash point	Not applicable	
Melting / Freezing Point Boiling point/boiling range Softening point	Not applicable Not applicable 49 - 60 °C / 120 - 140 °F	
Evaporation rate Flammability Flammability Limits in Air	Not applicable Not flammable Not applicable	
Explosive Limits	No data available	
Vapour pressure Vapour density Specific gravity Water solubility Partition coefficient Autoignition temperature Decomposition temperature Viscosity	Not applicable Not applicable ~ 1 Negligible Not applicable Not applicable Not determined Not applicable	
Explosive properties	Fine dust dispersed in air, in sufficient concentr source is a potential dust explosion hazard	rations, and in the presence of an ignition
Oxidising properties	Not applicable	
9.2 Other information		

None

# **10. STABILITY AND REACTIVITY**

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use

### 10.2 Chemical stability

Stable under normal conditions

### 10.3 Possibility of hazardous reactions

Hazardous reactions	None under normal processing
Hazardous polymerisation	Hazardous polymerisation does not occur

### 10.4 Conditions to avoid

Prevent dust cloud, Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

Page 6/9

xero

SDS #: A-10536

# Xerox<sup>®</sup> Everyday<sup>™</sup> Toner - Black, Cyan, Magenta, Yellow

Issuing Date 2020-09-09

Revision Date 2020-09-15

Version 1

### 10.5 Incompatible Materials

None

#### 10.6 Hazardous decomposition products

None under normal use

### **11. TOXICOLOGICAL INFORMATION**

The toxicity data noted below is based on the test results of similar reprographic materials.

### 11.1 Information on toxicological effects

#### Acute toxicity Product Information

Irritation Oral LD50 Dermal LD50 LC50 Inhalation	No skin irritation, No eye irritation > 5 g/kg (rat) > 5 g/kg (rabbit) > 5 mg/L (rat, 4 hr)
Chronic toxicity Product Information Chronic effects Carcinogenicity Other information	No known effects under normal use conditions See "Other Information" in this section. The IARC (International Agency for Research on Cancer) has listed carbon black as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of carbon black in this mixture does not present a health hazard. The IARC classification is based on studies evaluating pure, "free" carbon black. In contrast, toner is a formulation composed of specially prepared polymer and a small amount of carbon black (or other pigment). In the process of making toner, the small amount of carbon black becomes encapsulated within a matrix. Xeroxhas performed extensive testing of toner, including a chronic bioassay (test for potential carcinogenicity). Exposure to toner did not produce evidence of cancer in exposed animals. The results were submitted to regulatory agencies and published extensively.
	The IARC (International Agency for Research on Cancer) has listed titanium dioxide as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of titanium dioxide in this mixture does not present a health hazard. The IARC classification is based on studies in rats using high concentrations of pure, unbound TiO2 particles of

toner.

Other toxic effects

**Product Information** Sensitisation **Mutagenic effects Reproductive toxicity** 

No sensitisation responses were observed Not mutagenic in AMES Test This product does not contain any known or suspected reproductive hazards

respirable size. The Titanium Dioxide Industry REACH Consortium have concluded that these effects were species-specific, attributable to lung overload and not specific to TiO2, i.e. similar effects would also be seen for other low solubility dusts. Toxicological and epidemiological studies do not suggest a carcinogenic effects in humans. In addition, the titanium dioxide in this mixture is encapsulated in a matrix or bound to the surface of the



Page 7/9

Version 1

 

 SDS #: A-10536
 Xerox® Everyday™ Toner - Black, Cyan, Magenta, Yellow

 Issuing Date 2020-09-09
 Revision Date 2020-09-15

 Target organ effects
 None known

 Other adverse effects
 None known

Not applicable

11.2 Information on other hazards Endocrine disrupting properties No information available

## 12. ECOLOGICAL INFORMATION

Other adverse effects Aspiration Hazard

#### 12.1 Toxicity

On available data, the mixture / preparation is not harmful to aquatic life

### 12.2 Persistence and degradability

Not readily biodegradable

#### 12.3 Bioaccumulative potential

Bioaccumulation is unlikely

### 12.4 Mobility in soil

Insoluble in water

### 12.5 Results of PBT and vPvB assessment

Not a PBT according to REACH Annex XIII

### 12.6 Endocrine disrupting properties

This product does not contain any known or suspected endocrine disruptors

### 12.7 Other adverse effects

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways.

# 13. DISPOSAL CONSIDERATIONS

# 13.1 Waste treatment methods

Waste Disposal Method	Can be landfilled or incinerated, when in compliance with local regulations If incineration is to be carried out, care must be exercised to prevent dust clouds forming.
EWC Waste Disposal No.	08 03 18
Other information	Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life



SDS #: A-10536

# Xerox® Everyday™ Toner - Black, Cyan, Magenta, Yellow

**Issuing Date** 2020-09-09

Revision Date 2020-09-15

Version 1

Page 8/9

and should not be allowed to enter drains, sewers, or waterways.

# 14. TRANSPORT INFORMATION

### 14.1 UN/ID No

Not regulated

### 14.2 Proper shipping name

Not regulated

### 14.3 Transport hazard class(es)

Not classified

## 14.4 Packing Group

Not applicable

## 14.5 Environmental hazards

Presents little or no hazard to the environment

### 14.6 Special precautions for users

No special precautions are needed in handling this material

## 14.7 Transport in bulk according to MARPOL 73/78 and the IBC Code

Not applicable

### **15. REGULATORY INFORMATION**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

According to present data no classification and labelling is required according to Regulation (EC) No 1272/2008

### 15.2 Chemical Safety Assessment

A chemical safety assessment according to regulation (EC) No. 1907/2006 is not required

## 16. OTHER INFORMATION

Issuing Date2020-09-09Revision Date2020-09-15Revision NoteInitial Release



SDS #: A-10536

# Xerox® Everyday™ Toner - Black, Cyan, Magenta, Yellow

Issuing Date 2020-09-09

Revision Date 2020-09-15

Version 1

Page 9/9

This safety data sheet complies with the requirements of Regulation (EC) No. 1272/2008 as amended.

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.