

Professional Label Printer Range QL-800 Series



Compact and Efficient Label Printers

The QL-800 series of adhesive label printers offers unrivalled versatility, boasting the highest print speeds and the most connectivity options in their class.

All of the label printers in this range include:


- New compact and contemporary styling (small footprint)
- Easy to change label/tape rolls, 12mm to 62mm width
- Thermal printing with no ink or toner needed
- Auto cutter and jam-free label exit
- Ability to print labels up to 62mm wide at 300dpi
- Fast printing of multiple labels
- Image, logo and barcode printing
- Built-in fonts, symbols and styles
- Easy connection to PC/Mac via USB

Print black and red text

The QL-800 Series is the only range on the market to offer thermal printing in black or red without ink using the new continuous roll (DK-22251). This unique feature helps to emphasise important text within labels by making it red, which is ideal for critical information such as use-by dates and allergens.



2-COLOUR
PRINTING*



CONTINUOUS
ROLL



PRE-SIZED
LABELS



AUTO CUT



JAM-FREE
EXIT



Create exactly the label you need

The QL-800 Series supports 10 traditional pre-sized labels which are easy to print and apply; such as medium address labels or large shipping labels.

Also Continuous rolls, which are unique to this range, can be trimmed to the precise length needed; for example, indoor/outdoor signage can be printed up to one metre in length.



Ptouch- Editor software makes it easy to design professional labels which include images, logos, barcodes and frames. (See page 9 for design specifications)

The Microsoft Office add-in lets you highlight, click and print right from within Word, Excel or Outlook, allowing you save time and reduce errors by importing data than individually typing text.

The interface provides access to standard or custom templates which means it takes just seconds to design and print your label.



QL-800

Address Label Printer

The plug and play label printer that's ideal for high volume professional address labelling within postage, office admin and facilities management.

Secure USB connection for Desktop usage, including built-in label design software (P-touch editor lite) so no driver installation is required.



QL-810W

Wireless Label Printer

Versatile and easy-to-use, this label printer allows multiple users to print wirelessly from your mobile device via wifi, apps or 3rd party software.



Wireless label printing

QL-810W & QL-820NWB

Connect to mobile devices such as smartphones and tablets using the built-in WiFi connection.

Print Wirelessly via Airprint (Mac/iOS) or the Brother iPrint & Label App which allows you to choose one of the pre-defined templates or quickly design your label from scratch.

Both devices also have a WPS button for connecting to available routers.



QL-820NWB

Network Label Printer

The flexible label printer which integrates with your connectivity requirements

Graphic backlit LCD screen with clear status, battery and connection indicators. Simple key operation via control panel – ideal for accessing template mode and printer settings.

Wide range of connectivity options:

- AirPrint* and MFi (Made for iPod/iPhone/iPad) compatibility
- Bluetooth for simple connection to iOS and Android devices
- Wireless or Wired LAN network (Ethernet port)

Bluetooth - MFi (Made for iPod/iPhone/iPad)



Integration Options

Software solutions

With label design apps for PCs or mobile devices, and software development kits (SDKs) to integrate the QL range into your own applications, you can choose the best option for your label printing needs. System integrators and software developers can now take advantage of various options which work directly within their own apps and software. For more information please visit:

<http://www.brother.eu/developer>

Optional rechargeable battery unit - QL-810W and QL-820NWB

A base-mounted rechargeable battery unit for untethered label printing away from power sources. This conversion is ideal for use on trollies or carts, or for exhibition badge printing, creating a stand-alone solution for the event management, retail sector or food industry. The battery features a fast-charge of under 2 hours 30 minutes, and the capability to print up to 4,300 labels (mono) or 1,400 labels (colour) per charge*.

QL-820NWB Advanced Features

The network capabilities of the QL-820NWB provide advanced benefits:

- Direct connection between printer and other devices using an app or 3rd party software
- Strong and stable connection
- Connect multiple PCs through
- Restrict access to specific users

Remote template update via FTP

When printing at multiple locations, updating the templates in all printers would normally be a time intensive operation. However the QL-820NWB can automatically connect using FTP to a remote server, and if new templates are found, update these automatically. This helps companies save time and money, and ensures consistent operation at all remote sites. All this directly from the printer via the internet, without needing a PC connection.

Stand-alone label printing

The QL-820NWB has a large memory to store label templates designed in P-touch Editor. Label templates can be uploaded to the printer's memory, and accessed using the integrated control panel and backlit graphic LCD display. Ideal for printing current or future date/time on labels in the food and retail industries.



• Continuous printing using USB when fully charged

Office

There are so many uses for labels around the office, they simplify a variety of administrative processes within businesses. In addition to address labels for envelopes and parcels, they clearly identify the contents of files, storage boxes and shelving.

The QL-800 range includes the capability to print in black and red* allowing essential information to be highlighted for increased visibility.

Continuous rolls are also ideal for indoor signage; helping facilities managers create bespoke signs on demand. Also ideal for visitor management, giving your reception or event the professional edge, with ID badges which include photos and your company logo.

Applications include:

- Visitor badges
- Postage/Address labels
- Document filing
- Indoor signage



brother
Europa International S.L.U.
Calle de Canaxide, 7
28037 Madrid
España

VISITOR
9 JUL
Martin Thomas
Maria Braun
brother

SALES DATA
ITALIA & IBERIA
SALES DATA
LUXEMBOURG
SALES DATA
NETHERLANDS

MEETING ROOM 7
RESERVED
30/11 15:30

Logistics and Warehousing

In busy warehouses and post rooms, accurate and timely labelling of parcels, envelopes and product cartons is essential to ensure the smooth running of all logistics operations. Using the QL-800 Series to print red* on handling labels ensures this crucial information is noticed, while barcodes can be quickly generated when required.

Applications include:

- Handling labels
- Temporary signage
- Shipping labels
- Product packaging



Retail

Conveying product pricing and any special offers to customers quickly is crucial for the retail sector. Use red* print to highlight special offers or promotions by creating eye-catching indoor signage. Print pricing labels for product packaging or price tags, which can also include barcodes.

Built in adaptations such as the stand-alone battery attachment and wide connectivity options allow for untethered use on the shop floor.

Applications include:

- Pricing/Barcode labels
- Promotional/Sale signage
- Packaging



Food Preparation

On-demand label printing is a critical part of the food industry, such as highlighting allergen information to consumers, show use-by/best before dates, and product pricing including EAN-8 / EAN-13 barcodes.

The QL-800 Series' optional stand-alone label printing function is ideal for counter-top use, and printing labels on-demand. Takeaway outlets can print details of orders, including address information where delivery is required.

Applications include:

- Date labels
- Takeaway orders
- Shelf-edge labelling
- Allergen highlighting




Supplies

Pre-sized label or continuous rolls are available in black (or red) on white or black on yellow, at various widths.

The QL's roll-guided spool means you get none of the alignment or wastage problems associated with printing labels on a traditional printer.

NEW Print in black or red with DK-22251 continuous roll



| DK Die-Cut Labels (white) | Labels per roll | Size (mm) | Item No. |
|---------------------------|-----------------|-----------|----------|
| Standard address label | 400 | 29 x 90 | DK-11201 |
| Large address label | 400 | 38 x 90 | DK-11208 |
| Small address label | 800 | 29 x 62 | DK-11209 |
| Shipping label | 300 | 62 x 100 | DK-11202 |
| File folder label | 300 | 17 x 87 | DK-11203 |
| Multi-purpose label | 400 | 17 x 54 | DK-11204 |
| Square label | 1000 | 23 x 23 | DK-11221 |
| CD/DVD label (film) | 100 | 58 | DK-11207 |
| Round label | 1200 | 12 | DK-11219 |
| Round label | 1000 | 24 | DK-11218 |

| Width (mm) | DK Continuous Length | Length/Material | Item No. |
|------------|--------------------------------------|-----------------------------|-----------|
| 12 | White | 30.48m Paper | DK-22214 |
| 29 | White | 30.48m Paper | DK-22210 |
| 38 | White | 30.48m Paper | DK-22225 |
| 50 | White | 30.48m Paper | DK-22223 |
| 54 | White | 30.48m Paper (non-adhesive) | DK-N55224 |
| 62 | White | 30.48m Paper | DK-22205 |
| 62 | White | 30.48m Paper (removable) | DK-44205 |
| 62 | Yellow | 30.48m Paper (removable) | DK-44605 |
| 29 | White | 15.24m Film | DK-22211 |
| 62 | White | 15.24m Film | DK-22212 |
| 62 | Yellow | 15.24m Film | DK-22606 |
| 62 | Clear | 15.24m Film | DK-22113 |
| 62 | White - NEW Print in Black or Red | 15.24m Paper | DK-22251 |

Specifications

| | QL-800 | QL-810W | QL-820NWB |
|------------------------------------|---|----------------------------------|--|
| Print resolution | 300 dpi | | |
| Tape Type | DK Rolls | | |
| Cutter type | Durable Auto (Full) | | |
| Max. Roll Width | 62mm | | |
| Connectivity | USB | USB/WiFi/AirPrint | USB/WiFi/ Wired LAN/Bluetooth MFI/Airprint |
| Compatibility | Windows and Mac | | |
| Print Speed (mm/sec) | 148 | 176 | |
| Standard address labels per second | 93 | 110 | |
| Dimensions | 125mm(W) x 213mm(D) x 142mm(H) | 125.3mm(W) x 234mm(D) x 145mm(H) | 125.3mm(W) x 234mm(D) x 145mm(H) |
| Weight (without DK roll) | 1.15kg | 1.12kg | 1.16kg |
| 145mm(H) | CD-ROM (P-touch Editor 5.0 for Windows/Mac, P-touch Address Book 1.1, Printer Driver, User Guides) Quick Setup Guide, DK Rolls Line-up Guide USB cable, AC Power cord DK-11201 Standard Address Labels (100 labels) DK-22205 62mm Continuous Starter roll (8 m) Registration Insertion, EEE insertion, Warranty card | | |
| Optional Accessories | | PA-BU-001 Battery Unit | |

P-touch Editor



| | |
|-----------------------------|---|
| Typestyles | 8 (Bold, Horizontal lines, Invert, Italic, Normal, Shadow, Shadow light, Surround) |
| Vertical print | |
| Database file compatibility | csv, Microsoft Access, Microsoft Excel |
| Text alignment | Centre, Justify, Left, Right |
| Sequential numbering | 1 - 5000, A - Z, a - z |
| Date and time stamp | |
| Screen capture | |
| Fonts | All installed truetype fonts / 17 |
| Microsoft Office add-in | Excel, Outlook, Word |
| Frames | 126 |
| Label orientation rotate | |
| Barcode printing | |
| Languages | English, Danish, Dutch, French, German, Italian, Norwegian, Portuguese, Spanish, Swedish, Finnish, Czech, Polish, Hungarian, Simplified Chinese, Russian, Turkish, Japanese, Arabic, Thai, Vietnamese |

brother

at your side



Made for
Pod iPhone iPad



Contact:



Brother UK Ltd
Shepley Street, Audenshaw, Tameside, Manchester M34 5JD.
Tel: +44(0)8444 999 444 Fax: +44(0)161 931 2218.
Website: www.brother.co.uk

All specifications correct at time of printing January 2017. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies. Label images shown are for illustrative purposes only and some aspects may not be reproducible on this model. Product specifications may be subject to change.