

# SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Trade name or designation of the mixture	L0R12Series
Registration number	-
Synonyms	None.
Issue date	04-May-2016
Version number	02
Revision date	12-May-2016
Supersedes date	04-May-2016
1.2. Relevant identified uses o	f the substance or mixture and uses advised against
Identified uses	Inkjet printing
Uses advised against	None known.
Company identification	HP Inc UK Limited Cain Rd., Amen Corner, Pt 2nd Floor (Bldg BRA03) Bracknell, United Kingdom RG12 1HN Telephone 44 (0) 879 013 0790
	HP Inc. health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Inc. Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com Poison Information Center 0207771 5307

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

#### 2.2. Label elements

#### Label according to Regulation (EC) No. 1272/2008 as amended

Laber according to Regulation	(LC) NO. 1272/2000 as amended
Contains:	2-pyrrolidone, Carbon black, Water
Hazard pictograms	None.
Signal word	None.
Hazard statements	The mixture does not meet the criteria for classification.
Precautionary statements	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Supplemental label information	Contains 1,2-Benzisothiazolin-3-one and 2-Methyl-2H-isothiazol-3-one. May produce an allergic reaction.
2.3. Other hazards	Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation. Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. Complete toxicity data are not available for this specific formulation. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

# **General information**

Chemical name	%	CAS-No. / EC No.	<b>REACH Registration No.</b>	Index No.	Notes
Water	70-85	7732-18-5 231-791-2	-	-	
Classification: -					
2-pyrrolidone	<10	616-45-5 210-483-1	01-2119475471-37-XXXX	-	
Classification: Eye	Irrit. 2;H319				
Carbon black	<5	1333-86-4 215-609-9	01-2119384822-32-XXXX	-	
Classification: -					
omposition comments	This ink supply co	ntains an aqueous i	nk formulation.		
	Carbon black is p	resent only in a bou	nd form in this preparation.		
ECTION 4: First aid mea	asures				
eneral information	Not available.				
.1. Description of first aid me					
Inhalation			sist, get medical attention.		
Skin contact	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.				
Eye contact	least 15 minutes of	or until particles are	ith large amounts of clean, war removed. If irritation persists g		
Ingestion	-	arge amount does o	ccur, seek medical attention.		
.2. Most important ymptoms and effects, both cute and delayed	Not available.				
.3. Indication of any nmediate medical attention nd special treatment eeded	Not available.				
ECTION 5: Firefighting	measures				
eneral fire hazards	Not available.				
1. Extinguishing media Suitable extinguishing media	For small (incipient) fires, use media such as foam, sand, dry chemical, or carbon dioxide. For large fires use very large (flooding) quantities of water and/or foam, applied as a mist or spray				
Unsuitable extinguishing media	None known.				
.2. Special hazards arising om the substance or lixture	Not available.				
	Not available.				
.3. Advice for firefighters Special protective equipment for firefighters	Not available.				
Special protective equipment for	Not available.				

# 6.1. Personal precautions, protective equipment and emergency procedures For non-emergency personnel Wear appropriate personal protective equipment. For emergency responders Not available. Material name: L0R12Series Vear appropriate personal protective equipment.

6.2. Environmental precautions	Do not let product enter drains. Do not flush into surface water or sanitary sewer system.
6.3. Methods and material for	Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand
containment and cleaning up	or diatomaceous earth, commercial sorbents, or recover using pumps.

6.4. Reference to other sections

# eaning upor diatomaceous earth, commercial sorbents, or recover using pumps.therNot available.

# **SECTION 7: Handling and storage**

7.1. Precautions for safe handling	Avoid contact with skin, eyes and clothing.
7.2. Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep away from excessive heat or cold.
7.3. Specific end use(s)	Not available.

# **SECTION 8: Exposure controls/personal protection**

Not available.

#### 8.1. Control parameters

Occupational	exposure limits
UK. EH40	Workplace Exposure Limits (WELs)

Components	Туре	Value	
Carbon black (CAS 1333-86-4)	STEL	7 mg/m3	
	TWA	3.5 mg/m3	
iological limit values	No biological exposure limits noted	for the ingredient(s).	

#### Biological limit values Recommended monitoring procedures

# Derived no-effect level (DNEL)

Components	Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Consumers	Dermal	6 mg/kg bw/d	Systemic long term
		Dermal	167 mg/kg bw/d	Systemic acute short term
		Inhalation	17.1 mg/m3	Systemic long term
		Oral	5.2 mg/kg bw/d	Systemic long term
		Oral	33.3 mg/kg bw/d	Systemic acute short term
	Workers	Dermal	277 mg/kg bw/d	Systemic acute short term
		Dermal	10 mg/kg bw/d	Systemic long term
		Inhalation	57.8 mg/m3	Systemic long term
Carbon black (CAS 1333-86-4)	Consumers	Inhalation	1.75 mg/m3	Local long term
		Inhalation	0.06 mg/m3	Systemic long term
	Workers	Inhalation	2 mg/m3	Local long term
		Inhalation	1 mg/m3	Systemic long term
edicted no effect concentrati	ons (PNECs)			
Components	Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Not applicable	Freshwater	0.5 mg/l	
		Intermittant	0.5 mg/l	Releases
		Marine water	0.05 mg/l	
		Sediment	0.4205 mg/kg	Freshwater
		Soil	0.0612 mg/kg	
		STP	10 mg/l	Sewage Treatment Plant
Carbon black (CAS 1333-86-4)	Not applicable	Freshwater	5 mg/l	
		Marine water	5 mg/l	
posure guidelines	Exposure limits have not been es	tablished for this	product.	
2. Exposure controls				
propriate engineering ntrols	Use in a well ventilated area.			
dividual protection measures General information	s, such as personal protective e Use personal protective equipment		oosure to skin and e	ye.
Eye/face protection Skin protection	Not available.			

- Hand protection	Not available.
- Other	Not available.
<b>Respiratory protection</b>	Not available.
Thermal hazards	Not available.
Hygiene measures	Handle in accordance with good industrial hygiene and safety practice.
Environmental exposure controls	Not available.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Appearance	
Physical state	Liquid.
Color	Black.
Odor	Not available.
Odor threshold	Not available.
рН	7.5 - 9
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	> 230.0 °F (> 110.0 °C) Pensky-Martens Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or e	xplosive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapor pressure	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Solubility (other)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Explosive properties	Not available.
Oxidizing properties	Not determined
9.2. Other information	
VOC (Weight %)	209 g/L

# **SECTION 10: Stability and reactivity**

10.1. Reactivity	Not available.
10.2. Chemical stability	Stable under recommended storage conditions.
10.3. Possibility of hazardous reactions	Will not occur.
10.4. Conditions to avoid	Not available.
10.5. Incompatible materials	Incompatible with strong bases and oxidizing agents.
10.6. Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

# **SECTION 11:** Toxicological information

General informationNot available.11.1. Information on toxicological effects	
Acute toxicity	Based on available data, the classification criteria are not met.
Skin corrosion/irritation	Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation	Based on available data, the classificat	ion criteria are not met.
Respiratory sensitization	Based on available data, the classification criteria are not met.	
Skin sensitization	Based on available data, the classification criteria are not met.	
Germ cell mutagenicity	Based on available data, the classificat	ion criteria are not met.
Carcinogenicity	Based on available data, the classificat	ion criteria are not met.
IARC Monographs. Overal	l Evaluation of Carcinogenicity	
Carbon black (CAS 1333-	-86-4) 2B Pos	sibly carcinogenic to humans.
Reproductive toxicity	Based on available data, the classification criteria are not met.	
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.	
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.	
Aspiration hazard	Based on available data, the classification criteria are not met.	
Components	Species	Test Results
2-pyrrolidone (CAS 616-45-5)		
Acute		
Oral		
LD50	Guinea pig	6500 mg/kg
	Rat	6500 mg/kg
Carbon black (CAS 1333-86-4)		
Acute		
Oral		
LD50	Rat	> 8000 mg/kg
Mixture versus substance information	Not available.	
Other information	Complete toxicity data are not availabl	e for this specific formulation
SECTION 12: Ecological	information	
-		cological effects.
Aquatic toxicity	<b>information</b> This product has not been tested for e	cological effects.
Aquatic toxicity 12.1. Toxicity		cological effects. Test Results
Aquatic toxicity 12.1. Toxicity Components	This product has not been tested for e	
Aquatic toxicity 12.1. Toxicity Components 2-pyrrolidone (CAS 616-45-5)	This product has not been tested for e	
Aquatic toxicity 12.1. Toxicity Components	This product has not been tested for e <b>Species</b>	Test Results
Aquatic toxicity 12.1. Toxicity Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea 12.2. Persistence and	This product has not been tested for e <b>Species</b>	Test Results
-	Species         EC50       Water flea (Daphnia put)	Test Results
Aquatic toxicity 12.1. Toxicity Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea 12.2. Persistence and degradability 12.3. Bioaccumulative potential Partition coefficient	This product has not been tested for e         Species         EC50       Water flea (Daphnia pu Not available.	Test Results         ulex)       13.21 mg/l, 48 hours
Aquatic toxicity 12.1. Toxicity Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea 12.2. Persistence and degradability 12.3. Bioaccumulative potential Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone	This product has not been tested for e         Species         EC50       Water flea (Daphnia pulle)         Not available.       Not available.         Not available.       -0.85	Test Results         ulex)       13.21 mg/l, 48 hours
Aquatic toxicity 12.1. Toxicity Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea 12.2. Persistence and degradability 12.3. Bioaccumulative potential Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone Bioconcentration factor (BCF)	This product has not been tested for e         Species         EC50       Water flea (Daphnia pulle)         Not available.       Not available.         Not available.       -0.85	Test Results         ulex)       13.21 mg/l, 48 hours
Aquatic toxicity 12.1. Toxicity Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea 12.2. Persistence and degradability 12.3. Bioaccumulative potential Partition coefficient n-octanol/water (log Kow)	This product has not been tested for e Species EC50 Water flea (Daphnia pu Not available. Not available. Not available.	Test Results ulex) 13.21 mg/l, 48 hours
Aquatic toxicity 12.1. Toxicity Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea 12.2. Persistence and degradability 12.3. Bioaccumulative potential Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone Bioconcentration factor (BCF) 12.4. Mobility in soil 12.5. Results of PBT and vPvB	This product has not been tested for e         Species         EC50       Water flea (Daphnia pu         Not available.       Not available.         Not available.       -0.85         Not available.       -0.85	Test Results ulex) 13.21 mg/l, 48 hours

# SECTION 13: Disposal considerations

# 13.1. Waste treatment methods

Residual waste	Not available.
Contaminated packaging	Not available.
EU waste code	Not available.

Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

# **SECTION 14:** Transport information

#### DOT

Not regulated as dangerous goods.

#### IATA

Not regulated as dangerous goods.

# IMDG Not regulated as dangerous goods.

# ADR

Not regulated as dangerous goods.

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# EU regulations

**Further information** 

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended

#### Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended

Not listed.

**Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended** Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Not listed.

```
Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA
Not listed.
```

# Authorizations

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization

#### Not listed.

# **Restrictions on use**

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not regulated.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding

Not regulated.

#### **Other EU regulations**

Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances Not regulated.

agents at work	e protection of the health and safety of workers from the risks related to chemical
Not regulated.	e protection of young people at work
Not regulated.	
Other regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.
Other information	Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).
National regulations	Not available.
15.2. Chemical safety assessment	See attached SUMI or GEIS document, if applicable.
SECTION 16: Other infor	rmation
References	Not available.
Information on evaluation method leading to the classification of mixture	Not available.
Issue date	04-May-2016
Revision information	1. Product and Company Identification: Alternate Trade Names
Training information	Not available.
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or

suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other

**Manufacturer information** 

countries. HP Inc. 1501 Page Mill Road Palo Alto, CA 94304-1112 US Direct 1-650-857-5020

#### **Explanation of abbreviations**

ACGIH	American Conference of Governmental Industrial Hygienists	
CAS	Chemical Abstracts Service	
CERCLA	Comprehensive Environmental Response Compensation and Liability Act	
CFR	Code of Federal Regulations	
сос	Cleveland Open Cup	
DOT	Department of Transportation	
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)	
IARC	International Agency for Research on Cancer	
NIOSH	National Institute for Occupational Safety and Health	
NTP	National Toxicology Program	
OSHA	Occupational Safety and Health Administration	
PEL	Permissible Exposure Limit	
RCRA	Resource Conservation and Recovery Act	
REC	Recommended	
REL	Recommended Exposure Limit	
SARA	Superfund Amendments and Reauthorization Act of 1986	
STEL	Short-Term Exposure Limit	
TCLP	Toxicity Characteristics Leaching Procedure	
TLV	Threshold Limit Value	
TSCA	Toxic Substances Control Act	
VOC	Volatile Organic Compounds	
List of abbreviations	Not available.	

# Safe Use of Mixture Information (SUMI)

# Water Based Ink: WB01 \*English\*

#### Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

, , , , , , , , , , , , , , , , , , ,	3, where upplicable, completes an extended product 3D3.
Operational conditions	
Maximum duration	Up to 8 hours per day
Frequency of exposure	< 240 days per year
Process conditions	Covers use at ambient temperatures. Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace. Avoid direct contact. Regular cleaning of equipment and work area. Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions
	followed.
Risk management measures	
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.
related to Personal Protection	
	Wear appropriate chemical resistent gloves: see section 8 of the SDS.
Equipment, hygiene and	Wear appropriate chemical resistent clothing.
health evaluation	In case of inadequate ventilation wear respiratory protection.
	Eye wash fountain and emergency showers are recommended.
	Avoid breathing mist/vapours.
	Avoid contact with skin, eyes and clothing.
	Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.
Good practice advice	
Use personal protective equipme	ent as required.
Wash hands before breaks and a	after work.
Keep good industrial hygiene and	d safety practice.
Use only with adequate ventilati	
Do no eat, drink or smoke when	
Wash contaminated clothing be	
Store at room temperature.	
Environmental measures	
	in intercourse/unitercourselies
Do not allow this material to dra	
-	ding to Local, State, Federal and Provincial Environmental Regulations.
	ith appropriately licenced waste contractor.
Use descriptors	
IS-Use at industrial sites	
PW-Widespread use by profession	onal workers
SU7-Printing and reproduction n	nedia
PC18-Inks and Toners	
PROC1-Chemical production or r	refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
PROC2-Chemical production or r	refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
condition PROC8a-Transfer of substance o	tion in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment r mixture (charging and discharging) at non-dedicated facilities r mixture (charging and discharging) at dedicated facilities
ERC5-Use at industrial site leading	
	io inclusion into/onto article (indoor)
Additional information on prod	
	s on the label, the classification of the mixture is provided.
Most of the water based inks are	
	is based on the individuel ingredients and their concentration within the mixture.
	ne classification are stated in Section 3 of the SDS.
	nts on which the exposure assessment is based, are listed in section 8 of the SDS.
	zing ingredients that may cause allergic reaction to certain people.
Section 2 of the SDS states these	
I	WB01 English.pdf