

XEROX

Material Safety Data Sheet

MSDS No.: C28

Date: 6/8/92

Revision: 9/6/07

Manufacturer: Xerox Corporation
Rochester, N.Y. 14644Telephone #'s Safety Information.: (800) 828-6571
Health Emergency: (585) 422-2177
Transportation Emergency(Chemtrec): (800) 424-9300

Section I - Product Identification

Trade Names/Synonyms: 7041/7042, WorkCentre Pro 665/685/765/785 Part No. 13R73, 113R102
Fax Print Cartridge XE: 113R450,
113R460,113R461
XC: 113R459Chemical Name: None
WHMIS Status: This is not a WHMIS controlled product.

Ingredients (% by wt.)

CAS No.

<u>Substrate (>98%)</u>	7429-90-5
Aluminum	
<u>Coating Materials (<2%)</u>	
Polycarbonate (45-55%)	25134-45-6
Benzaldehyde derivative (35-45%)	103079-11-4
Titanyl phthalocyanine (8-12%)	26201-32-1

Section II - Emergency and First Aid

Primary Route of Entry:

Skin

Symptoms of Overexposure:

None

Eyes:

N.A.

Medical Conditions Generally Aggravated by Exposure:

None when used as described by product literature.

Skin:

Wash with soap and water

Inhalation:

N.A.

Additional Information:

None.

Ingestion:

N.A..

Section III - Toxicology and Health Information

This material has been evaluated by Xerox Corporation.

Oral LD₅₀:	>5 g/kg (rats) practically non-toxic. ¹	TLV:	N.A
Dermal LD₅₀:	>2 g/kg (rabbits) practically non-toxic. ¹	PEL:	N.A.
Inhalation LC₅₀:	N.A.	STEL:	N.E.
Eye Irritation:	Not an irritant	Ceiling:	N.E.
Skin Sensitization:	Not a sensitizer ¹	XEL²:	N.E.
Skin Irritation:	Not an irritant.		
Human Patch:	Non-irritating, non-sensitizing ¹ .		
Mutagenicity:	Non-mutagenic in Ames Assay.		
Carcinogens:	None present		
Aquatic LC₅₀:	N.D.		

Additional Information: None

¹. Based on toxicity data of constituents. ²XEL - Xerox Exposure Limit

N.A. - Not Applicable N.E. - None Established N.D. - Not Determined

Section IV - Physical Data

Appearance/Odor:	solid/odorless	Softening Range:	N.D.
Boiling Point:	N.A..	Melting Point:	N.D.
Solubility in Water:	Insoluble	Specific Gravity (H₂O=1)	N.A.
Evaporation Rate:	N.A.	Vapor Pressure (mm Hg):	N.A.
Vapor Density (Air=1):	N.A..	pH:	N.A.
Volatile:	N.A. % (Wt.) N.A. % (Vol.)		

Section V - Fire and Explosion Data

Flash Point (Method Used):	N.A.
Flammable Limits:	LEL: N.A., UEL: N.A.
NFPA 704:	N.D.
Extinguishing Media:	Water, carbon dioxide, foam
Special Fire Fighting Procedures:	When in a machine, treat as an electrical fire
Fire and Explosion Hazards:	Exposure to high temperatures can result in melting and pyrolysis. Fumes may cause respiratory symptoms. Delayed effects may occur up to 72 hours.

Section VI - Reactivity Data

Stability:	Stable
Hazardous Polymerization:	Will Not Occur
Hazardous Decomposition Products:	None
Incompatibility (Materials to Avoid):	Organic solvents; strong acids/bases.

Section VII - Special Protection Information

Respiratory Protection:	None required when used as intended in Xerox equipment.
Eye Protection:	None required when used as intended in Xerox equipment.
Protective Gloves:	None required when used as intended in Xerox equipment.
Other:	None required when used as intended in Xerox equipment.

Section VIII - Special Precautions

Handling and Storage:	Under no circumstances should pumicing compounds or mechanical abrasion be used on this photoreceptor.
Conditions to Avoid:	Avoid exposure to high temperatures.

Section IX - Spill, Leak, and Disposal Procedures

For Spills or Leakage:	None
Waste Disposal Method:	<i>Do not incinerate.</i> Dispose of in accordance with federal, state and local regulations.

Section X - Transportation Information

DOT Proper Shipping Name:	N.A. (Not Regulated)	ID Number:	N. A.
Hazard Classification:	N. A.	Packing Group:	N. A.